Index of Issues: July, pp. 1–80; August, pp. 81–172; September, pp. 173–272; October, pp. 273–370; November, pp. 371–492; December, 493–628. The September Supplement, pp. A1–A590, is not included in this index. The index for that issue had been provided in the back of the Supplement itself.

SUBJECT INDEX TO VOLUME 59

Subject entries for all material in the JOURNAL appear in this index. The name of the author of an original article, in brackets, follows the subject entry. Entries from the JOURNAL departments are identified as follows: Book Reviews—(BR); Clinical Reports—(CR); Correspondence—(CO); Editorial Views—(EV); Laboratory Reports—(LR); Original Article—(OA); Medical Intelligence—(MI); Special Article—(SA); Reports of Scientific Meetings—(SM).

A

Accidents, *See under* Complications
Acetylcholine, *See under* Parasympathetic nervous system; Receptors
Achondroplasia, *See under* Complications
Acid-base balance
and simple way to convert *p*H to hydrogen ion concentration (CO) [Leon-Ruiz], 155
Acid-base equilibrium
acidosis, respiratory
effects of, on pancuronium and vecuronium neuromuscular blockades in anesthetized humans [Gencarelli, Swen, Koot & Miller], 376
alkalosis, respiratory
effects of, on pancuronium and vecuronium neuromuscular blockades in anesthetized humans [Gencarelli, Swen, Koot & Miller], 376
pregnancy
and further suggestions on epidural spread in pregnancy (CO) [Bodner], 610
Acidosis, *See under* Acid-base equilibrium
Adenosine triphosphate, *See under* Metabolism
Adrenal medulla, *See under* Sympathetic nervous system
Adrenergic receptors, *See under* Receptors
Age factors
lack of, in atracuronium besylate requirement for stable muscle relaxation during surgery (CR) [d'Hollander, Luyckx, Barvais & DeVille], 237
Air embolism, *See under* Complications; Embolism
Airway closure, *See also under* Lung(s)
extubation, endotracheal
complications of (CR) [Hilley, Henderson & Giesecke], 149
obstruction
early detection of, by monitoring carbon dioxide concentration in respiratory gas (CR) [Murray & Modell], 344
Airway pressure, *See under* Lung(s)
Alarms, *See under* Equipment
Albumin, *See under* Protein
Alfentanil, *See under* Anesthetics, intravenous
Alkalosis, *See under* Acid-base equilibrium
Allen's test, *See under* Arteries; Complications
Alpha methyldopa, *See under* Sympathetic nervous system, sympathetic agents
Alphaxalone, *See under* Anesthetics, intravenous
Alveolar proteinosis, *See under* Lung(s)
Amitriptyline, *See under* Pharmacology
Analgesics
hydromorphone
and intravenous droperidol, early respiratory depression with (CR) [Cohen, Rothblatt & Albright], 569
methadone
titration to avoid excessive respiratory depression (CO) [Gourlay, Willis & Wilson], 364
titration to avoid excessive respiratory depression (CO) [Wangler & Rosenblatt], 363
narcotic
and muscle relaxants, histamine release by, in humans (MI) [Moss & Rosow], 330
fentanyl
dose-independent pharmacokinetics of [Murphy, Hug & McClain], 537
morphine
-induced respiratory depression in humans, physostigmine antagonizes [Snir-Mor, Weinstock, Davidson & Bahar], 6
intravenous or subarachnoid, effects of, on cerebral and spinal cord hemodynamics and antagonism with naloxone in dogs [Matsumiya & Dohi], 175
mechanism of epidural lidocaine reversal of tachyphylaxis to (CO) [Coombs], 486
in spinal anesthesia, effects of, on spinal cord blood flow (EV) [Yaksh], 173
Anaphylatoxins, *See under* Mediators
Anatomy
brachial plexus
sheaths, functional [Thompson & Rorie], 117
Anesthesia
cardiovascular
in canine model of acute coronary artery stenosis: effects of deliberate hypotension [Hickey, Verrier, Baer, Vlahakes, Fein & Hoffman], 226
preoperative nifedipin treatment and, in coronary heart disease (CO) [Skarvan], 362
electroshock
transient large upright T-wave on electrocardiogram during (CR) [Graybar, Goethe, Levy, Phillips, Youngberg & Smith], 567
Anesthesia induction, *See under* Induction
Anesthesia machines, *See also under* Equipment
maintenance
continuous infusion fentanyl or ketamine *versus* thiopental for outpatient surgery, comparative study (CR) [White, Dworsky, Horai & Trevor], 574
use of continuous infusion versus intermittent bolus administration of fentanyl or ketamine during [White], 294
neonatal
anesthetic requirements for halothane in [Lerman, Robinson, Willis & Gregory], 421
neurosurgical
balanced, paradoxical diuresis in some patients under (CR) [Mehta, Gergis & Sokoll], 595
in cats, brain surface protrusion during [Drummond, Todd, Toutant & Shapiro], 288
multiorificed balloon catheter ideal for (CO) [Hicks & Hummel], 261
venous air embolism is not restricted to (CO) [Albin, Babinski, Gilbert & Smith], 151
obstetric
for cesarean section, neonatal breathing pattern following: epidural versus general anaesthesia [Fisher, Mortola, Smith, Fox & Weeks], 389
for cesarean section, thiopental anesthesia for: a rebuttal (CO) [Mark & Poppers], 158
for cesarean section in patient with acute intermittent porphyria and achondroplastic dwarfism (CR) [Bancroft & Lauria], 143
cimetidine compared with antacid for safety and effectiveness in reducing gastric acidity before cesarean section [Hodgkinson, Glassenberg, Joyce, Coombs, Ostheimer & Gibbs], 86

defense of use of *d*-tubocurarine prior to succinylcholine in (CO) [Marx & Bassell], 157
epidural, during labor, effects of, on maternal plasma beta-endorphin levels [Abboud, Sarkis, Hung, Khoo, Varakian, Henriksen, Noueihed & Goebelsmann], 1
fathers in delivery rooms—survey results of anesthesia departments (CO) [Allen], 152
and further suggestions on epidural spread in pregnancy (CO) [Bodner], 610
intrathecal morphine, for relief of labor pain in parturient with severe pulmonary hypertension (CR) [Abboud, Raya, Noueihed & Daniel], 477
minute ventilation and oxygen consumption during labor with [Hägerdal, Morgan, Sumner & Gutsche], 425
placenta and, transfer of dantrolene across (CO) [Morison], 265
in pregnant patient with scleroderma (CR) [Thompson & Conklin], 69
ophthalmologic
intraocular injection of acetylcholine in patient taking metoprolol, bronchospasm following (CR) [Rasch, Holt, Wilson & Smith], 593
and nitrous oxide increases intraocular pressure after intravitreal sulfur hexafluoride injection (LR) [Wolf, Capuano & Hartung], 557
strabismus surgery, antiemetic effect of droperidol following (CR) [Abramowitz, Oh, Epstein, Ruttimann & Friendly], 589
outpatient
enema-induced hypocalcemia and hyperphosphatemia leading to cardiac arrest during (CR) [Reedy & Zwiren], 588
and life-threatening apnea in infants recovering from anesthesia [Liu, Cote, Goudsouzian, Ryan, Firestone, Dedrick, Liu & Todres], 506
and life-threatening perioperative apnea in ex-"premie" (EV) [Gregory & Steward], 495
strabismus surgery, antiemetic effect of droperidol following (CR) [Abramowitz, Oh, Epstein, Ruttimann & Friendly], 589
pediatric
anesthetic requirements for halothane in [Lerman, Robinson, Willis & Gregory], 421
enema-induced hypocalcemia and hyperphosphatemia leading to cardiac arrest during (CR) [Reedy & Zwiren], 588
halothane in, safety and efficacy of atracurium with (CR) [Goudsouzian, Liu, Coté, Gionfriddo & Rudd], 459
and life-threatening apnea in infants recovering from anesthesia [Liu, Cote, Goudsouzian, Ryan, Firestone, Dedrick, Liu & Todres], 506
and life-threatening perioperative apnea in ex-"premie" (EV) [Gregory & Steward], 495
methemoglobinemia following, associated with benzocaine-containing lubricant (CR) [Kellett & Copeland], 463
methemoglobinemia induced by, in newborn infant (CR) [Duncan & Kobrinsky], 75
neonatal sepsis and (CO) [Mayhew & Taylor], 77
neostigmine and edrophonium as antagonists of pancuronium in [Meakin, Sweet, Bevan & Bevan], 316
neuromuscular pharmacology of neostigmine in [Fisher, Cronnelly, Miller & Sharma], 220
and postoperative lumbar epidural analgesia in child with respiratory disabilities (CR) [Meignier, Souron & Le Neel], 473
practical way of using heated humidifiers with pediatric T-piece systems (CO) [Hannallah & McGill], 156
pulmonary edema secondary to laryngospasm during (CR) [Lee & Downes], 347
scavenging waste gases in (CO) [Laucks], 612
strabismus surgery, antiemetic effect of droperidol following (CR) [Abramowitz, Oh, Epstein, Ruttimann & Friendly], 589
wasted ventilation in, measured *in vitro* with eight anesthetic circuits with and without inline humidification (LR) [Coté, Petkau, Ryan & Welch], 442
thoracic
for thoracotomy, temperature-related T-wave changes during (CR) [Westover & Saidman], 474

Anesthesiologists
hospital-associated viral infection and (MI) [duMoulin & Hedley-Whyte], 51

Anesthetic gas analyzing, *See under* Monitoring

Anesthetic techniques
continuous infusion
of fentanyl in intensive care unit: tolerance to anesthetic effects? (CR) [Shafer, White, Schüttler & Rosenthal], 245
versus intermittent bolus administration of fentanyl or ketamine during outpatient anesthesia [White], 294
epidural
following inadvertent dural perforation, collapse after (CO) [Crawford], 78
minute ventilation and oxygen consumption during labor with [Hägerdal, Morgan, Sumner & Gutsche], 425
hypotension, induced
canine model of acute coronary artery stenosis in study of effects of [Hickey, Verrier, Baer, Vlahakes, Fein & Hoffman], 226
catecholamine and renin-angiotensin response during (CR) [Knight, Lane, Hensinger, Bolles & Bjoraker], 248
may have profound effect on liver (CO) [Bagshaw], 168
nitroprusside
antagonism of effects of, by cyanide, may not be clinically relevant (CO) [Cole & Vesey], 159
antagonism of effects of, by cyanide, may not be clinically relevant (CO) [Smith, Kruszyna & Kruszyna], 160
blood-brain barrier function following, in dog [Ishikawa, Funatsu, Okamoto, Takeshita & McDowall], 526
catecholamine and renin-angiotensin response during (CR) [Knight, Lane, Hensinger, Bolles & Bjoraker], 248
cerebral cortical extracellular fluid H^+ and K^+ activities during, in cats [Morris, Heuser, McDowall, Hashiba & Myers], 10
trimethaphan
blood-brain barrier function following, in dog [Ishikawa, Funatsu, Okamoto, Takeshita & McDowall], 526
catecholamine and renin-angiotensin response during (CR) [Knight, Lane, Hensinger, Bolles & Bjoraker], 248
infiltration, topical
of nasal passages, total spinal blockade during (CR) [Hill, Gershon & Gargiulo], 144
intravenous
dilutions, concentrations, and drug infusion rates for (CO) [Webb], 482
peridural
epidural
catheter insertion in—prevention of catheter buckling by means of needle hub insert (LR) [Pinchak, Podlipsky & Hagen], 559
hemiparesis following (CR) [Wedel & Mulroy], 475
hydromorphone in, and intravenous droperidol, early respiratory depression with (CR) [Cohen, Rothblatt & Albright], 569
lidocaine in reversal of tachyphylaxis to epidural morphine analgesia (CO) [Coombs], 486
local anesthetics in, and suggestions on spread in pregnancy (CO) [Bodner], 610
postoperative analgesia with, in child with respiratory disabilities (CR) [Meignier, Souron & Le Neel], 473
versus general anaesthesia, neonatal pattern of breathing following cesarean section [Fisher, Mortola, Smith, Fox & Weeks], 389
lumbar
hemiparesis following (CR) [Wedel & Mulroy], 475
postoperative analgesia with, in child with respiratory disabilities (CR) [Meignier, Souron & Le Neel], 473
regional
axillary
and functional anatomy of brachial plexus sheaths [Thompson & Rorie], 117

brachial plexus
and functional anatomy of brachial plexus sheaths [Thompson & Rorie], 117
bupivacaine toxicity and Bier blocks (CO) [Heath], 481
spinal
agents administered in, effects of, on spinal cord blood flow (EV) [Yaksh], 173
lidocaine and bupivacaine administration by, plasma concentrations following [Burm, van Kleef, Gladines, Spierdijk & Breimer], 191
morphine
or intravenous, effects of, on cerebral and spinal hemodynamics and antagonism with naloxone in dogs [Matsumiya & Dohi], 175
for relief of labor pain in parturient with severe pulmonary hypertension (CR) [Abboud, Raya, Noueihed & Daniel], 477
topical
application of, to nasal mucosa, atraumatic method for (CO) [Hannenberg], 606
Anesthetics
gaseous
nitrous oxide
erroneous labeling of cylinder for (CO) [Sawhney & Yoon], 260
hazard of, during laser endoscopic surgery (CO) [Chilcoat, Byles & Kellman], 258
increases intraocular pressure after intravitreal sulfur hexafluoride injection (LR) [Wolf, Capuano & Hartung], 557
in study of effect of thiopental induction on sympathetic activity [Joyce, Roizen & Eger], 19
transcutaneous cranial electrical stimulation during (CO) [Nicosia & Lombardi], 264
tympanic membrane rupture after, in absence of middle ear disease (CO) [White], 368
intravenous
alfentanil
are pharmacokinetics of really predictable? (CO) [Fisher], 256
are pharmacokinetics of really predictable? (CO) [Hug & Stanski], 257
alphaxalone
selective actions of, on nicotinic- and muscarinic-receptor-mediated responses of dog adrenal medulla [Sumikawa, Matsumoto, Amenomori, Hirano & Amakata], 412
diazepam
selective actions of, on nicotinic- and muscarinic-receptor-mediated responses of dog adrenal medulla [Sumikawa, Matsumoto, Amenomori, Hirano & Amakata], 412
fentanyl
continuous infusion, in comparative study of intraoperative and postoperative effects (CR) [White, Dworsky, Horai & Trevor], 574
dose-independent pharmacokinetics of [Murphy, Hug & McClain], 537
grand mal seizure after administration of (CO) [Safwat & Daniel], 78
-induced postoperative rigidity, preferred treatment of (CO) [Wangler & Gupta], 604
infusion in intensive care unit: tolerance to anesthetic effects? (CR) [Shafer, White, Schüttler & Rosenthal], 245
use of continuous infusion versus intermittent bolus administration of, during outpatient anesthesia [White], 294
ketamine
for cesarean section in patient with acute intermittent porphyria and achondroplastic dwarfism (CR) [Bancroft & Lauria], 143
continuous infusion, in comparative study of intraoperative and postoperative effects (CR) [White, Dworsky, Horai & Trevor], 574
selective actions of, on nicotinic- and muscarinic-receptor-mediated responses of dog adrenal medulla [Sumikawa, Matsumoto, Amenomori, Hirano & Amakata], 412
use of continuous infusion versus intermittent bolus administration of, during outpatient anesthesia [White], 294
methohexital
and thiopental, pharmacokinetics of, in surgical patients [Hudson, Stanski & Burch], 215
midazolam
in chronic renal failure patients [Vinik, Reves, Greenblatt, Abernethy & Smith], 390
and thiopental, comparative renal effects of, in humans [Lebowitz, Cote, Daniels & Bonventre], 381
pentobarbital
in study of effects of volatile anesthetics on myocardial oxidation-reduction status assessed by NADH fluorometry (LR) [Kissin, Aultman & Smith], 447
thiamylal
2.5%, intraarterial injection of, does cause gangrene (CO) [Dohi & Naito], 154
thiopental
for cesarean section: a rebuttal (CO) [Mark & Poppers], 158
concepts of distribution and metabolism (CO) [Tanner], 484
continuous infusion, in comparative study of intraoperative and postoperative effects (CR) [White, Dworsky, Horai & Trevor], 574
induction, effect of, on sympathetic activity [Joyce, Roizen & Eger], 19
intraarterial 2.5%, lone case of gangrene following (CO) [Mark], 153
intraarterial, and gangrene (CO) [Dundee], 154
and methohexital, pharmacokinetics of, in surgical patients [Hudson, Stanski & Burch], 215
and midazolam, comparative renal effects of, in humans [Lebowitz, Cote, Daniels & Bonventre], 381
model for studying depth of anesthesia and acute tolerance to [Hudson, Stanski, Saidman & Meathe], 301
pharmacokinetics in patients with cirrhosis [Pandele, Chaux, Salvadori, Farinotti & Duvaldestin], 123
selective actions of, on nicotinic- and muscarinic-receptor-mediated responses of dog adrenal medulla [Sumikawa, Matsumoto, Amenomori, Hirano & Amakata], 412
in study of effects of volatile anesthetics on myocardial oxidation-reduction status assessed by NADH fluorometry (LR) [Kissin, Aultman & Smith], 447
local
benzocaine
-containing lubricant, methemoglobinemia associated with (CR) [Kellett & Copeland], 463
bupivacaine
plasma concentrations of, and of lidocaine, after subarachnoid administration [Burm, van Kleef, Gladines, Spierdijk & Breimer], 191
toxicity, and Bier blocks (CO) [Heath], 481
cocaine
in local anesthesia of nasal passages, total spinal blockade during (CR) [Hill, Gershon & Gargiulo], 144
topical application of, to nasal mucosa, atraumatic method for (CO) [Hannenberg], 606
and further suggestions on epidural spread in pregnancy (CO) [Bodner], 610
lidocaine
differential peripheral axon block with, unit studies in cervical vagus nerve [Fink & Cairns], 182
effect of, on ventilatory response to carbon dioxide [Gross, Caldwell, Shaw & Laucks], 521
epidural, reversal of tachyphylaxis to epidural morphine analgesia, mechanism of (CO) [Coombs], 486
in local anesthesia of nasal passages, total spinal blockade during (CR) [Hill, Gershon & Gargiulo], 144
plasma concentrations of, and of bupivacaine, after subarachnoid administration [Burm, van Kleef, Gladines, Spierdijk & Breimer], 191
prilocaine
methemoglobinemia induced by, in newborn infant (CR) [Duncan & Kobrinsky], 75

volatile
chloroform
effects of, on responses to ligation of coronary artery in chronically prepared rats [Jang, MacLeod & Walker], 309
diethyl ether
effects of, on myocardial oxidation-reduction status assessed by NADH fluorometry (LR) [Kissin, Aultman & Smith], 447
enflurane
in anesthesia in study of dose-independent pharmacokinetics of fentanyl [Murphy, Hug & McClain], 537
in aqeuous solutions at 37°, osmolarity determines solubility of (LR) [Lerman, Willis, Gregory & Eger], 564
in cats, brain surface protrusion during [Drummond, Todd, Toutant & Shapiro], 288
cerebral circulation and metabolism during, in humans [Sakabe, Maekawa, Fujii, Ishikawa, Tateishi & Takeshita], 532
effects of, on myocardial oxidation-reduction status assessed by NADH fluorometry (LR) [Kissin, Aultman & Smith], 447
effects of, on responses to ligation of coronary artery in chronically prepared rats [Jang, MacLeod & Walker], 309
effects of, on schedule-controlled behavior in rat [Garfield & Vivaldi], 207
halothane inhibits metabolism of, in Fischer 344 rats [Fish & Rice], 417
hepatotoxicity of, mechanism of, in hyperthyroid rats (CO) [Carmichael], 601
hepatotoxicity of, mechanism of, in hyperthyroid rats (CO) [Berman, Kuhnert, Phythyon & Holaday], 601
halothane
anesthetic requirements for, in young children 0–1 month and 1–6 months of age [Lerman, Robinson, Willis & Gregory], 421
antiviral effect of, pressure reversal of [Bedows & Knight], 109
in aqeuous solutions at 37°, osmolarity determines solubility of (LR) [Lerman, Willis, Gregory & Eger], 564
in canine model of acute coronary artery stenosis: effects of deliberate hypotension [Hickey, Verrier, Baer, Vlahakes, Fein & Hoffman], 226
in cats, brain surface protrusion during [Drummond, Todd, Toutant & Shapiro], 288
for coronary-artery revascularization, hemodynamic predictors of myocardial ischemia during [Lieberman, Orkin, Jobes & Schwartz], 36
effect of, on myocardial necrosis, hemodynamic performance, and regional myocardial blood flow following coronary artery occlusion [Davis, DeBoer, Rude, Lowenstein & Maroko], 402
effects of, on myocardial oxidation-reduction status assessed by NADH fluorometry (LR) [Kissin, Aultman & Smith], 447
effects of, on responses to ligation of coronary artery in chronically prepared rats [Jang, MacLeod & Walker], 309
effects of, on schedule-controlled behavior in rat [Garfield & Vivaldi], 207
hepatotoxicity, contrasting effects on, in phenobarbital-hypoxia and triiodothyronine model [Uetrecht, Wood, Phythyon & Wood], 196
hepatotoxicity of, mechanism of, in hyperthyroid rats (CO) [Carmichael], 601
hepatotoxicity of, mechanism of, in hyperthyroid rats (CO) [Berman, Kuhnert, Phythyon & Holaday], 601
identification of receptor mechanism mediating epinephrine-induced arrhythmias during [Maze & Smith], 322
inhibits metabolism of enflurane in Fischer 344 rats [Fish & Rice], 417
in study of effect of thiopental induction on sympathetic activity [Joyce, Roizen & Eger], 19
verapamil decreases MAC for, in dogs [Maze, Mason & Kates], 327
isoflurane
in aqueous solutions at 37°, osmolarity determines solubility of (LR) [Lerman, Willis, Gregory & Eger], 564
in cats, brain surface protrusion during [Drummond, Todd, Toutant & Shapiro], 288
cerebral metabolic effects of, at and above concentrations that suppress cortical electrical activity [Newberg, Milde & Michenfelder], 23
cerebral protection by, during hypoxemia or ischemia [Newberg & Michenfelder], 29
effects of, on baroreceptor reflex [Seagard, Elegbe, Hopp, Bosnjak, von Colditz, Kalbfleisch & Kampine], 511
effects of, on myocardial oxidation-reduction status assessed by NADH fluorometry (LR) [Kissin, Aultman & Smith], 447
effects of, on responses to ligation of coronary artery in chronically prepared rats [Jang, MacLeod & Walker], 309
hepatotoxicity of, mechanism of, in hyperthyroid rats (CO) [Carmichael], 601
hepatotoxicity of, mechanism of, in hyperthyroid rats (CO) [Berman, Kuhnert, Phythyon & Holaday], 601
powerful coronary vasodilator in patients with coronary artery disease [Reiz, Bålfors, Sørensen, Ariola, Friedman & Truedsson], 91
succinylcholine tachyphylaxis with (CO) [Ben-David & Gross], 365
succinylcholine tachyphylaxis with (CO) [Donati & Bevan], 366
and verapamil, hemodynamic interactions of [Kates, Kaplan, Guyton, Dorsey, Hug & Hatcher], 132
methoxyflurane
in aqueous solutions at 37°, osmolarity determines solubility of (LR) [Lerman, Willis, Gregory & Eger], 564
effects of, on responses to ligation of coronary artery in chronically prepared rats [Jang, MacLeod & Walker], 309
trichlorethylene
effects of, on responses to ligation of coronary artery in chronically prepared rats [Jang, MacLeod & Walker], 309
Angiotension, *See under* Polypeptides
Animal care, *See under* Research
Antacids, *See under* Gastrointestinal tract; Vomiting
Antagonists
dopaminergic
in rabbit ear artery, *d*-tubocurarine and [Nelson & Steinsland], 98
miscellaneous
physostigmine
antagonizes morphine-induced respiratory depression in human subjects [Snir-Mor, Weinstock, Davidson & Bahar], 6
narcotic
naloxone
effects of intravenous or subarachnoid morphine on cerebral and spinal cord hemodynamics and antagonism with, in dogs [Matsumiya & Dohi], 175
and fentanyl-induced postoperative rigidity (CO) [Wangler & Gupta], 604
pulmonary edema following administration of, in patient without heart disease (CR) [Taff], 586
neuromuscular relaxants
edrophonium
as antagonist of pancuronium in infants and children [Meakin, Sweet, Bevan & Bevan], 316
mixtures, heart rate following (CR) [Azar, Pham, Karambelkar & Lear], 139
new look at, compared with pyridostigmine and neostigmine (EV) [Miller & Cronnelly], 84
neostigmine
as antagonist of pancuronium in infants and children [Meakin, Sweet, Bevan & Bevan], 316
and edrophonium, compared (EV) [Miller & Cronnelly], 84
pharmacology of, in infants and children [Fisher, Cronnelly, Miller & Sharma], 220
pyridostigmine
and edrophonium, compared (EV) [Miller & Cronnelly], 84
nicotinic
in rabbit ear artery, *d*-tubocurarine and [Nelson & Steinsland], 98
Antidepressants, *See under* Pharmacology; Sympathetic nervous system, sympathetic agents
Antidiuretic hormone, *See under* Hormones

Apnea, *See under* Ventilation
Arrhythmia, *See under* Complications; Heart
Arrhythmia, *See under* Heart
Arteries
Allen's test
and safety of radial artery cannulation [Slogoff, Keats & Arlund], 42
rabbit ear
d-tubocurarine as dopaminergic antagonist in [Nelson & Steinsland], 98
radial
cannulation of, safety of [Slogoff, Keats & Arlund], 42
and gangrene, in intraarterial thiopental (CO) [Dundee], 154
and gangrene, intraarterial injection of 2.5% thiamylal does cause (CO) [Dohi & Naito], 154
occlusion of, in aberrant collateral circulation, modification of Allen's test to detect (CR) [Gandhi & Reynolds], 147
thrombosis
and gangrene, intraarterial injection of 2.5% thiamylal does cause (CO) [Dohi & Naito], 154
lone case of gangrene in, following intraarterial thiopental 2.5% (CO) [Mark], 153
Aspiration, *See under* Complications; Lung(s)
ATP *See* Metabolism, adenosine triphosphate
Atracurium, *See under* Neuromuscular relaxants
Atrial fibrillation, *See under* Complications; Heart

B

Baroreceptor reflexes, *See under* Blood pressure
Behavior, *See under* Psychologic responses
Benzocaine, *See under* Anesthetics, local
Beta-endorphins, *See under* Polypeptides
Biotransformation
enzyme induction
and halothane hepatotoxicity in phenobarbital-hypoxia and triiodothyronine model [Uetrecht, Wood, Phythyon & Wood], 196
fluorometabolites
in halothane inhibition of enflurane metabolism in Fischer 344 rats [Fish & Rice], 417
inhibition
in halothane inhibition of enflurane metabolism in Fischer 344 rats [Fish & Rice], 417
sexual factors
and halothane hepatotoxicity in phenobarbital-hypoxia and triiodothyronine model [Uetrecht, Wood, Phythyon & Wood], 196
Blocks, nerve, *See under* Anesthetic techniques, regional; Nerve
Blood
coagulation, protamine
catastrophic pulmonary vasoconstriction associated with, in reversal of heparin (CR) [Lowenstein, Johnston, Lappas, D'Ambra, Schneider, Daggett, Akins & Philbin], 470
loss
in ulceration of inferior turbinate: complication of prolonged nasotracheal intubation (CR) [Sherry], 148
methemoglobinemia
associated with benzocaine-containing lubricant (CR) [Kellett & Copeland], 463
prilocaine-induced, in newborn infant (CR) [Duncan & Kobrinsky], 75
transfusion
needs, calculations for predicting (CO) [Cassady, Patel & Epstein], 491
Blood flow, regional
comparison of effects of *d*-tubocurarine, pancuronium, and vecuronium on [Saxena, Dhasmana & Prakash], 102
Blood pressure. *See also under* Monitoring
baroreceptor reflexes
effects of isoflurane on [Seagard, Elegbe, Hopp, Bosnjak, von Colditz, Kalbfleisch & Kampine], 511
drug effects
and anesthetic requirements for halothane in young children 0–1 month and 1–6 months of age [Lerman, Robinson, Willis & Gregory], 421
in canine model of acute coronary artery stenosis: effects of deliberate hypotension [Hickey, Verrier, Baer, Vlahakes, Fein & Hoffman], 226
hypertension
as predictor of myocardial ischemia during halothane anesthesia for coronary-artery revascularization [Lieberman, Orkin, Jobes & Schwartz], 36
hypotension
canine model of acute coronary artery stenosis in study of effects of [Hickey, Verrier, Baer, Vlahakes, Fein & Hoffman], 226
catecholamine and renin-angiotensin response during (CR) [Knight, Lane, Hensinger, Bolles & Bjoraker], 248
cerebral protection by isoflurane during [Newberg & Michenfelder], 29
may have profound effect on liver (CO) [Bagshaw], 168
as predictor of myocardial ischemia during halothane anesthesia for coronary-artery revascularization [Lieberman, Orkin, Jobes & Schwartz], 36
measurement
factitiously low, from Dinamap™ (CO) [Roy, Morgan & Beamer], 258
as predictor of myocardial ischemia during halothane anesthesia for coronary-artery revascularization [Lieberman, Orkin, Jobes & Schwartz], 36
Blood-brain barrier, *See under* Brain
Book reviews
Carrie, L. E. S., and Simpson, P. J., *Understanding Anaesthesia*, 492
Cooper, P. R., *Head Injury*, 268
Horowitz, N. H., and Rizzoli, H. V., *Postoperative Complications of Intracranial Neurological Surgery*, 613
Huth, E. J., *How to Write and Publish Papers in the Medical Sciences*, 170
Kaplan, J. A. (ed.), *Thoracic Anesthesia*, 170
Ropper, A. L., Kennedy, S. K., and Zervas, N. T. (eds.), *Neurological and Neurosurgical Intensive Care*, 171
Scurr, C., and Feldman, S., *Scientific Foundations of Anaesthesia*, 268
Sindermann, C. J., *Winning the Games Scientists Play*, 613
Smith, W. D. A. *Under the Influence. A History of Nitrous Oxide and Oxygen Anaesthesia*, 269
Stanski, D. R., and Watkins, W. D., *Drug Disposition in Anesthesia*, 170
Stehling, L. C., *Common Problems in Pediatric Anesthesia*, 171
Sykes, W. S., Ellis, R. H. (ed.), *Essays on the First Hundred Years of Anaesthesia, Vol. III*, 172
Tarhan, S., *Cardiovascular Anesthesia and Postop Care*, 370
Volpitto, P. P., and VanDam, L. D., eds., *The Genesis of Contemporary American Anesthesiology*, 370
Brachial plexus, *See under* Anatomy; Anesthetic techniques, regional
Brain
autoregulation
in brain surface protrusion during enflurane, halothane, and isoflurane anesthesia in cats [Drummond, Todd, Toutant & Shapiro], 288
blood
effects of intravenous or subarachnoid morphine on, and antagonism with naloxone in dogs [Matsumiya & Dohi], 175
blood-brain barrier
function following drug-induced hypotension in dog [Ishikawa, Funatsu, Okamoto, Takeshita & McDowall], 526
blood flow
in brain surface protrusion during enflurane, halothane, and isoflurane anesthesia in cats [Drummond, Todd, Toutant & Shapiro], 288
during enflurane anesthesia in humans [Sakabe, Maekawa, Fujii, Ishikawa, Tateishi & Takeshita], 532
during hypotension in cats [Morris, Heuser, McDowall, Hashiba & Myers], 10

isoflurane effects on, at and above concentrations that suppress cortical electrical activity [Newberg, Milde & Michenfelder], 23

blood volume
in brain surface protrusion during enflurane, halothane, and isoflurane anesthesia in cats [Drummond, Todd, Toutant & Shapiro], 288

electrical stimulation, transcutaneous
used during anesthesia (CO) [Nicosia & Lombardi], 264

electroencephalogram
of cerebral cortical extracellular fluid H^+ and K^+ activities during hypotension in cats [Morris, Heuser, McDowall, Hashiba & Myers], 10
interference with, by facial nerve stimulation (CO) [Artru, Chadwick, Colley & Momii], 605
isoflurane effects on, at and above concentrations that suppress cortical electrical activity [Newberg, Milde & Michenfelder], 23

metabolism
effects of intravenous or subarachnoid morphine on, and antagonism with naloxone in dogs [Matsumiya & Dohi], 175
effects of isoflurane on, during hypoxemia or ischemia [Newberg & Michenfelder], 29
isoflurane effects on, at and above concentrations that suppress cortical electrical activity [Newberg, Milde & Michenfelder], 23

oxygen consumption
during enflurane anesthesia in humans [Sakabe, Maekawa, Fujii, Ishikawa, Tateishi & Takeshita], 532
isoflurane effects on, at and above concentrations that suppress cortical electrical activity [Newberg, Milde & Michenfelder], 23

***p*H**
during hypotension in cats [Morris, Heuser, McDowall, Hashiba & Myers], 10

protection
by isoflurane during hypoxemia or ischemia [Newberg & Michenfelder], 29

Bronchospasm, *See under* Complications
Bupivacaine, *See under* Anesthetics, local
Burns, *See under* Complications
Butyrophenones, *See under* Hypnotics
B vitamins, *See under* Vitamins

C

Calcium chloride, *See under* Pharmacology
Calcium entry blockers, *See under* Heart; Pharmacology
Calcium, *See under* Ions
Cannulation, *See under* Anatomy; *specific vessels;* Veins
Carbon dioxide

absorption
in CO_2 absorber malassembly (CO) [Luich], 608

measurement
possible source of error in (CO) [Fletcher, Nordström, Werner & Jonson], 77
in respiratory gas, early detection of endotracheal tube accidents by (CR) [Murray & Modell], 344
and respiratory quotient, intraoperative fluid management influences [Hagerdal, Caldwell & Gross], 48

production
measurement of, possible source of error in (CO) [Fletcher, Nordström, Werner & Jonson], 77
and respiratory quotient, intraoperative fluid management influences [Hagerdal, Caldwell & Gross], 48

tension, end tidal
in respiratory gas, early detection of endotracheal tube accidents by (CR) [Murray & Modell], 344

ventilatory response
in assessment of effects of droperidol on respiratory drive in humans [Prokocimer, Delavault, Rey, Lefevre, Mazze & Desmonts], 113
effect of lidocaine on [Gross, Caldwell, Shaw & Laucks], 521

Carbon dioxide response, *See under* Ventilation
Cardiac arrest, *See under* Complications
Cardiac output, *See under* Heart
Cardiovascular anesthesia, *See under* Anesthesia
Cardiovascular reflexes, *See under* Heart
Cardiovascular surgery, *See under* Surgery
Carrie, L. E. S. and Simpson, P. J., *Understanding Anaesthesia* (BR), 492
Catecholamines, *See under* Sympathetic nervous system
Catheters, *See under* Equipment
Cells, virus particles in
effect of halothane on, pressure reversal of [Bedows & Knight], 109
Central venous catheters, *See under* Equipment
Central venous pressure, *See under* Measurement techniques; Monitoring
Cerebral blood flow, *See under* Brain
Cerebral blood volume, *See under* Brain
Cerebral metabolism, *See under* Brain
Cerebral oxygen consumption, *See under* Brain
Cesarean section, *See under* Anesthesia, obstetric; Pregnancy
Chloroform, *See under* Anesthetics, volatile
Cimetidine, *See under* Gastrointestinal tract; Histamine, antagonists
Circuits, *See under* Equipment
Cirrhosis, *See under* Liver
Clonidine, *See under* Sympathetic nervous system, sympathetic agents
Closing capacity, *See under* Lung(s)
Closing volume, *See under* Lung(s)
CO_2 response, *See under* Ventilation
Coagulation, *See under* Blood
Cocaine, *See under* Anesthetics, local
Complement, *See under* Mediators
Compliance, *See under* Heart; Lung(s); Veins
Complications

accidents
endotracheal tube, early detection of, by monitoring carbon dioxide concentration in respiratory gas (CR) [Murray & Modell], 344

achondroplasia
and acute intermittent porphyria, ketamine induction for cesarean section in patient with (CR) [Bancroft & Lauria], 143

acute intermittent porphyria
and achondroplastic dwarfism, ketamine induction for cesarean section in patient with (CR) [Bancroft & Lauria], 143

air embolism
basic facts relevant to placement of central venous catheters and Doppler monitors (CO) [Hills & Butler], 163

Allen's test
modification of, to detect aberrant ulnar collateral circulation (CR) [Gandhi & Reynolds], 147

arrest, cardiac
enema-induced hypocalcemia and hyperphosphatemia leading to, during induction of anesthesia (CR) [Reedy & Zwiren], 588

arrhythmia
following right radical neck dissection (CR) [Otteni, Pottecher, Bonner, Flesch & Diebolt], 358

atrial fibrillation
induced by right atrial injection of cold fluids during thermodilution cardiac output determination (CR) [Todd], 253

bronchospasm
following intraocular injection of acetylcholine in patient taking metoprolol (CR) [Rasch, Holt, Wilson & Smith], 593

burns
in children, neuromuscular effects of pancuronium in (CR) [Martyn, Liu, Szyfelbein, Ambalabanar & Goudsouzian], 571

convulsions
grand mal seizure, after fentanyl administration (CO) [Safwat & Daniel], 78

CREST syndrome
anesthetic management of pregnant patient with (CR) [Thompson & Conklin], 69
Creutzfeldt-Jakob disease
hospital-associated, and anesthesiologist (MI) [duMoulin & Hedley-Whyte], 51
disconnections
corrections concerning alleged disconnect alarm failure (CO) [Schreiber], 611
Duchenne's muscular dystrophy
and malignant hyperthermia: another warning (CO) [Rosenberg & Heiman-Patterson], 362
edema
reexpansion, during emergence from general anesthesia (CR) [Milne, Spence, Lynn & Sleeman], 244
embolism, air
venous, is not restricted to neurosurgery (CO) [Albin, Babinski, Gilbert & Smith], 151
epistaxis
following nasotracheal intubation (CR) [Scamman & Babin], 352
equipment
activated oxygen flush valve, failed release of (CO) [Bailey], 480
adhesive tape obstructing anesthetic circuit (CO) [Frankel], 256
equipment failure
in defective Washington T-piece (CO) [Mantia], 167
fire
as hazard of nitrous oxide during laser endoscopic surgery (CO) [Chilcoat, Byles & Kellman], 258
following radial artery cannulation [Slogoff, Keats & Arlund], 42
gangrene
intraarterial injection of 2.5% thiamylal does cause (CO) [Dohi & Naito], 154
in intraarterial thiopental administration (CO) [Dundee], 154
lone case of, following intraarterial thiopental 2.5% (CO) [Mark], 153
hematoma
in arterial puncture, safer jugular vein cannulation in prevention of (CR) [Jobes, Schwartz, Greenhow, Stephenson & Ellison], 353
hemorrhage
cerebral protection by isoflurane during [Newberg & Michenfelder], 29
pulmonary, following nasogastric intubation (CR) [McDanal, Wheeler & Ebert], 356
herpesvirus
hospital-associated, and anesthesiologist (MI) [duMoulin & Hedley-Whyte], 51
hoarseness
postoperative, succinylcholine-induced [Capan, Bruce, Patel & Turndorf], 202
hypertension
in clonidine withdrawal complicated by amitriptyline therapy (CR) [Stiff & Harris], 73
hypoglycemia
and glucose management in patients undergoing operation for insulinoma removal [Muir, Endres, Offord, van Heerden & Tinker], 371
hypotension
associated with protamine reversal of heparin (CR) [Lowenstein, Johnston, Lappas, D'Ambra, Schneider, Daggett, Akins & Philbin], 470
canine model of acute coronary artery stenosis in study of effects of [Hickey, Verrier, Baer, Vlahakes, Fein & Hoffman], 226
influenza
hospital-associated, and anesthesiologist (MI) [duMoulin & Hedley-Whyte], 51
intracerebral hematoma
and hemiparesis following dural puncture (CR) [Wedel & Mulroy], 475
intubation, endotracheal
pulmonary hemorrhage following (CR) [McDanal, Wheeler & Ebert], 356
myalgia
postoperative, succinylcholine-induced [Capan, Bruce, Patel & Turndorf], 202
myocardial infarction
reinfarction following anesthesia in patients with [Rao, Jacobs & El-Etr], 499
neonatal sepsis
and anesthesia (CO) [Mayhew & Taylor], 77
obesity
elevated pulmonary wedge pressure resulting from upper respiratory obstruction in (CR) [Teeple & Ghia], 66
obstruction
endotracheal tube, possibly due to structural fault (CO) [Arai & Kuzume], 480
paralysis
and hemiparesis following dural puncture (CR) [Wedel & Mulroy], 475
following succinylcholine in patient homozygous for silent gene (CR) [Oshita, Sari, Fujii & Yonei], 71
pulmonary artery rupture
in use of pulmonary artery catheter (CR) [McDonald & Zaidan], 240
pulmonary aspiration
cimetidine, antacids, and (EV) [Moir], 81
pulmonary edema
following naloxone administration in patient without heart disease (CR) [Taff], 586
secondary to laryngospasm in children (CR) [Lee & Downes], 347
respiratory depression
early, with epidural narcotic and intravenous droperidol (CR) [Cohen, Rothblatt & Albright], 569
rubella
hospital-associated, and anesthesiologist (MI) [duMoulin & Hedley-Whyte], 51
scleroderma
anesthetic management of pregnant patient with (CR) [Thompson & Conklin], 69
sore throat
postoperative, succinylcholine-induced [Capan, Bruce, Patel & Turndorf], 202
spinal, total block
during local anesthesia of nasal passages (CR) [Hill, Gershon & Gargiulo], 144
thrombosis
in aberrant ulnar collateral circulation, modification of Allen's test to detect (CR) [Gandhi & Reynolds], 147
thyrotoxicosis
mimicked malignant hyperthermia (CO) [Stevens], 263
total spinal block
inadvertent, collapse after epidural injection following (CO) [Crawford], 78
Computers, *See under* Equipment
Conduction, *See under* Nerve
Conduction, neural, *See under* Nerve
Connectors, *See under* Equipment
Continuous fusion, *See under* Anesthetic techniques
Continuous infusion anesthesia, *See under* Anesthetic techniques
Continuous infusions, *See under* Anesthetic techniques
Contractility, *See under* Heart; Muscle; Uterus
Controlled ventilation, *See under* Ventilation
Cooper, P. R.
Head Injury (BR), 268
Coronary artery bypass, *See under* Surgery
Coronary occlusion, *See under* Heart
CREST syndrome, *See under* Complications
Creutzfeldt-Jacob disease, *See under* Complications
Cyanide, *See under* Toxicity

D

Dantrolene, *See under* Neuromuscular relaxants; Pharmacokinetics
Dialysis, *See under* Kidney
Diazepam, *See under* Anesthetics, intravenous
Diethyl ether, *See under* Anesthetics, volatile
Disconnections, *See under* Complications
Distribution, *See under* Pharmacokinetics
Diuresis, *See under* Kidney
Dopamine, *See under* Receptors; Sympathetic nervous system
Dopaminergic antagonists, *See under* Antagonists
Doppler, *See under* Equipment
Droperidol, *See under* Hypnotics, butyrophenones
Duchennc's muscular dystrophy, *See under* Complications; Muscle, skeletal

E

Ear
  tympanic membrane
    spontaneous rupture of, occurring in absence of middle ear disease (CO) [White], 368
Edema, *See under* Complications; Lung(s)
Edema, pulmonary, *See under* Complications
Edrophonium, *See under* Antagonists, neuromuscular relaxants
Education
  continuing
    Rovenstine Memorial Lecture, at annual meeting of American Society of Anesthesiologists (SA) [Hershey], 453
  instructions for safety check for CPRAM circuit (CO) [Abramowitz], 488
Electrical stimulation, transcutaneous cranial, *See under* Brain
Electrocardiogram, *See under* Monitoring
Electrocardiography, *See under* Heart; Monitoring
Electroencephalogram, *See under* Brain; Monitoring
Electroencephalograph, *See under* Equipment
Electroshock, *See under* Anesthesia
Embolism, air
  basic facts relevant to placement of central venous catheters and Doppler monitors (CO) [Hills & Butler], 163
  multiorificed balloon catheter ideal for neuroanesthesia in patients at risk for (CO) [Hicks & Hummel], 261
  venous, is not restricted to neurosurgery (CO) [Albin, Babinski, Gilbert & Smith], 151
End-tidal monitoring, *See under* Monitoring
End-tidal tension, *See under* Carbon dioxide
Endobronchial tubes, *See under* Equipment
Endorphins, *See under* Polypeptides
Endotracheal intubation *See* Intubation, endotracheal
Endotracheal tubes, *See under* Equipment, tubes
Enemas, hypertonic phosphate
  hypocalcemia and hyperphosphatemia induced by, leading to cardiac arrest in outpatient surgery (CR) [Reedy & Zwiren], 588
Enflurane, *See under* Anesthetics, volatile
Enzyme induction, *See under* Biotransformation
Enzymes
  methionine synthetase
    activity in rats, no effect of hyperbaric oxygen on (LR) [Sharer, Monk & Nunn], 440
  pseudocholinesterase
    abnormal, prolonged neuromuscular blockade following succinylcholine in patient with (CR) [Oshita, Sari, Fujii & Yonei], 71
Epidural anesthesia, *See under* Anesthesia; Anesthetic techniques, peridural
Epinephrine, *See under* Sympathetic nervous system, catecholamines
Epistaxis, *See under* Complications; Intubation
Equipment
  alarms
    failure, disconnect alarm, corrections concerning (CO) [Schreiber], 611
  anesthesia machines
    activated oxygen flush valve, failed release of (CO) [Bailey], 480
  catheters
    central venous
      pseudoarterialization of, by infusion pump (CO) [Urquhart & Shupak], 79
    flow-directed
      elevated pulmonary wedge pressure in use of, resulting from upper respiratory obstruction in obese patient (CR) [Teeple & Ghia], 66
      multiorificed balloon, ideal for neuroanesthesia (CO) [Hicks & Hummel], 261
    pulmonary artery
      acute angulation of (CO) [Bromley & Moorthy], 367
      shake-flick test of (CO) [Mihm & Ashton], 262
  circuits
    non-rebreathing
      pediatric T-piece, practical way of using heated humidifiers with (CO) [Hannallah & McGill], 156
      wasted ventilation measured *in vitro* with eight, with and without inline humidification (LR) [Coté, Petkau, Ryan & Welch], 442
  computers
    program for safety check for CPRAM circuit (CO) [Abramowitz], 488
  connectors
    anesthetic circuit, adhesive tape obstructing (CO) [Frankel], 256
    separation of, and corrections concerning alleged disconnect alarm failure (CO) [Schreiber], 611
    for transtracheal ventilation (CO) [Patel], 165
  Doppler
    and central venous catheters, in patients at risk for air embolism (CO) [Hills & Butler], 163
  electroencephalograph
    interference with, by facial nerve stimulation (CO) [Artru, Chadwick, Colley & Momii], 605
  esophageal electrode
    for monitoring esophageal electrocardiogram (CO) [Brown & Greenberg], 483
  fiberoptic bronchoscope
    tracheal intubation aided by, new and easy techniques for (CR) [Rogers & Benumof], 579
  flow directed catheters
    in study of pressure-volume relationships of pulmonary artery catheter balloon (CR) [McDonald & Zaidan], 240
  humidifiers
    heated, practical way of using, with pediatric T-piece systems (CO) [Hannallah & McGill], 156
    wasted ventilation measured *in vitro* with eight anesthetic circuits with and without (LR) [Coté, Petkau, Ryan & Welch], 442
  infusion pump(s)
    dilutions, concentrations, and drug infusion rates for (CO) [Webb], 482
    pseudoarterialization of CVP by (CO) [Urquhart & Shupak], 79
  labeling
    and erroneous labeling of nitrous oxide cylinder (CO) [Sawhney & Yoon], 260
  laryngoscope
    another way to insert Macintosh blade (CO) [Bourke & Lawrence], 80
  laser
    in endoscopic surgery, hazard of nitrous oxide during (CO) [Chilcoat, Byles & Kellman], 258
  machines, anesthesia
    CO_2 absorber malassembly (CO) [Luich], 608
  monitors, oxygen
    plea for routine use of (CO) [Marks], 159
    use of should be mandatory (CO) [Dorsch & Dorsch], 161
  needles, epidural
    hub insert, in prevention of epidural catheter buckling (LR) [Pinchak, Podlipsky & Hagen], 559

nerve stimulator
stimulation of facial nerve with, interference with processed electroencephalographic recording by (CO) [Artru, Chadwick, Colley & Momii], 605
oxygen analyzers
plea for routine use of (CO) [Marks], 159
use of should be mandatory (CO) [Dorsch & Dorsch], 161
oxygen measuring device, transconjunctival
in critical care medicine (CO) [Yelderman], 266
patient transfer
garbage bag for (CO) [Yamashita & Matsuki], 168
piezoelectric transducer
monitoring anesthetic vapor concentrations using (LR) [Hayes, Westenskow & Jordan], 435
scavengers
for scavenging waste gases in pediatric patients (CO) [Laucks], 612
syringes
simple way to transport drugs in (CO) [Bause], 153
T-piece
Washington, defective (CO) [Mantia], 167
tubes
endobronchial
for lung lavage (CO) [Shulman, Brebner, Cain & Sandler], 607
endotracheal
armored, another cause of obstruction in (CO) [McTaggart, Shustack, Noseworthy & Johnston], 164
armored, another cause of obstruction in (CO) [Wiegert], 164
balloon catheter inserted in, for nasal intubation (CO) [Kawamoto & Shimidzu], 484
obstruction possibly due to structural fault (CO) [Arai & Kuzume], 480
nasogastric
complication of: pulmonary hemorrhage (CR) [McDanal, Wheeler & Ebert], 356
valves
oxygen flush, activated, failed release of (CO) [Bailey], 480
Equipment failure, *See under* Complications
Esophageal electrode, *See under* Equipment
Esophageal intubation, *See under* Intubation
Extubation, *See under* Airway; Anesthetic techniques
Eye(s)
intraocular injection of acetylcholine in patient taking metoprolol, bronchospasm following (CR) [Rasch, Holt, Wilson & Smith], 593
intraocular pressure
nitrous oxide increases, after intravitreal sulfur hexafluoride injection (LR) [Wolf, Capuano & Hartung], 557

F

Fasting, *See under* Metabolism
Fentanyl, *See under* Analgesics, narcotic; Anesthetics, intravenous; Pharmacokinetics
Fiberoptic bronchoscope, *See under* Equipment
Fibrillation, *See under* Complications; Heart
Fire, *See under* Complications
Fluid balance, intraoperative
management of, influences carbon dioxide production and respiratory quotient [Hagerdal, Caldwell & Gross], 48
Fluoride, *See under* Ions
Fluorometabolites, *See under* Biotransformation; Toxicity

G

Ganglionic blocking agents, *See under* Sympathetic nervous system
Ganglionic transmission, *See under* Nerve(s)
Gangrene, *See under* Complications
Gas compression, *See under* Physics
Gas exchange, *See under* Measurement techniques
Gases, nonanesthetic
sulfur hexafluoride
intravitreal injection of, nitrous oxide increases intraocular pressure after (LR) [Wolf, Capuano & Hartung], 557
Gastrointestinal tract
antacids
cimetidine, and pulmonary aspiration (EV) [Moir], 81
cimetidine
antacids, and pulmonary aspiration (EV) [Moir], 81
stomach
acidity of, comparison of cimetidine with antacid for safety and effectiveness in reducing, before elective cesarean section [Hodgkinson, Glassenberg, Joyce, Coombs, Ostheimer & Gibbs], 86
Glucose, *See under* Metabolism
Gynecologic surgery, *See under* Surgery

H

Halothane, *See under* Anesthetics, volatile
Heart
arrhythmias
epinephrine-induced, identification of receptor mechanism mediatiqg, during halothane [Maze & Smith], 322
and preoperative management of atrial fibrillation (CO) [Royster], 602
ventricular
following right radical neck dissection (CR) [Otteni, Pottecher, Bonner, Flesch & Diebolt], 358
atrial fibrillation
preoperative management of (CO) [Royster], 602
blood flow, myocardial
in canine model of acute coronary artery stenosis: effects of deliberate hypotension [Hickey, Verrier, Baer, Vlahakes, Fein & Hoffman], 226
effect of halothane anesthesia on, in dogs following coronary artery occlusion [Davis, DeBoer, Rude, Lowenstein & Maroko], 402
in isoflurane administration in patients with coronary artery disease [Reiz, Bålfors, Sørensen, Ariola, Friedman & Trueds-son], 91
calcium entry blockers
and preoperative nifedipin and anesthesia in coronary heart disease (CO) [Skarvan], 362
cardiac output
comparison of effects of *d*-tubocurarine, pancuronium, and vecuronium on [Saxena, Dhasmana & Prakash], 102
effects of hydralazine on, in canine low-pressure pulmonary edema [Ghignone, Girling & Prewitt], 187
and influence of mixed venous oxygen tension ($P\bar{v}_{O_2}$) on blood flow to atelectatic lung [Domino, Wetstein, Glasser, Lindgren, Marshall, Harken & Marshall], 428
thermodilution determination
atrial fibrillation induced by right atrial injection of cold fluids during (CR) [Todd], 253
cardiovascular reflexes
effects of isoflurane on [Seagard, Elegbe, Hopp, Bosnjak, von Colditz, Kalbfleisch & Kampine], 511
compliance, ventricular
as predictor of myocardial ischemia during halothane anesthesia for coronary-artery revascularization [Lieberman, Orkin, Jobes & Schwartz], 36
contractility
effects of volatile anesthetics on, assessed by NADH fluorometry (LR) [Kissin, Aultman & Smith], 447
coronary occlusion
acute, canine model of: effects of deliberate hypotension [Hickey, Verrier, Baer, Vlahakes, Fein & Hoffman], 226
effect of halothane anesthesia on, in dogs following coronary artery occlusion [Davis, DeBoer, Rude, Lowenstein & Maroko], 402

isoflurane as powerful coronary vasodilator in patients with [Reiz, Bålfors, Sørensen, Ariola, Friedman & Truedsson], 91
as predictor of myocardial ischemia during halothane anesthesia for coronary-artery revascularization [Lieberman, Orkin, Jobes & Schwartz], 36
reinfarction following anesthesia in patients with [Rao, Jacobs & El-Etr], 499
electrocardiography
in canine model of acute coronary artery stenosis: effects of deliberate hypotension [Hickey, Verrier, Baer, Vlahakes, Fein & Hoffman], 226
in isoflurane administration in patients with coronary artery disease [Reiz, Bålfors, Sørensen, Ariola, Friedman & Truedsson], 91
temperature-related T-wave changes in, during thoracotomy (CR) [Westover & Saidman], 474
infarction
effect of halothane anesthesia on, in dogs following coronary artery occlusion [Davis, DeBoer, Rude, Lowenstein & Maroko], 402
ischemia
effect of halothane anesthesia on, in dogs following coronary artery occlusion [Davis, DeBoer, Rude, Lowenstein & Maroko], 402
hemodynamic predictors of, during halothane anesthesia for coronary-artery revascularization [Lieberman, Orkin, Jobes & Schwartz], 36
in isoflurane administration in patients with coronary artery disease [Reiz, Bålfors, Sørensen, Ariola, Friedman & Truedsson], 91
metabolism
in isoflurane administration in patients with coronary artery disease [Reiz, Bålfors, Sørensen, Ariola, Friedman & Truedsson], 91
myocardial function
anesthetics
in canine model of acute coronary artery stenosis: effects of deliberate hypotension [Hickey, Verrier, Baer, Vlahakes, Fein & Hoffman], 226
in interaction of verapamil and isoflurane [Kates, Kaplan, Guyton, Dorsey, Hug & Hatcher], 132
as predictor of myocardial ischemia during halothane anesthesia for coronary-artery revascularization [Lieberman, Orkin, Jobes & Schwartz], 36
myocardial infarction
perioperative reinfarction following, monitoring in prevention of (EV) [Lowenstein, Yusuf, Teplick & Peto], 493
reinfarction following anesthesia in patients with [Rao, Jacobs & El-Etr], 499
oxygen consumption
as predictor of myocardial ischemia during halothane anesthesia for coronary-artery revascularization [Lieberman, Orkin, Jobes & Schwartz], 36
pulse rate
and anesthetic requirements for halothane in young children 0–1 month and 1–6 months of age [Lerman, Robinson, Willis & Gregory], 421
as predictor of myocardial ischemia during halothane anesthesia for coronary-artery revascularization [Lieberman, Orkin, Jobes & Schwartz], 36
redox state
effects of volatile anesthetics on, assessed by NADH fluorometry (LR) [Kissin, Aultman & Smith], 447
reinfarction
perioperative, monitoring in prevention of (EV) [Lowenstein, Yusuf, Teplick & Peto], 493
T-waves
enlarged, on electrocardiogram during multiple monitored electroconvulsive therapy (CR) [Graybar, Goethe, Levy, Phillips, Youngberg & Smith], 467
Heart rate, *See under* Monitoring
Heating, temperature
T-wave changes related to, during thoracotomy (CR) [Westover & Saidman], 474
Hematoma, *See under* Complications
Hemiparesis, *See under* Muscle, skeletal
Hemodialysis, *See under* Kidney
Hemodynamics
systemic vascular resistance
in interaction of verapamil and isoflurane [Kates, Kaplan, Guyton, Dorsey, Hug & Hatcher], 132
Hemorrhage, *See under* Complications
Hepatitis, *See under* Complications; Liver
Hepatotoxicity, *See under* Liver; Toxicity
Herpesvirus, *See under* Complications
High-frequency jet ventilation, *See under* Ventilation
Histamine, *See also under* Mediators
antagonists
cimetidine
and antacid, compared, for safety and effectiveness in reducing gastric acidity before elective cesarean section [Hodgkinson, Glassenberg, Joyce, Coombs, Ostheimer & Gibbs], 86
release by narcotics and muscle relaxants in humans (MI) [Moss & Rosow], 330
History
Rovenstine Memorial Lecture, at annual meeting of American Society of Anesthesiologists (SA) [Hershey], 453
Hoarseness, *See under* Complications
Hormones
antidiuretic
inappropriate secretion of, in neurosurgical patients under balanced anesthesia (CR) [Mehta, Gergis & Sokoll], 595
insulin
-secreting tumor, glucose management in patients undergoing operation for removal of [Muir, Endres, Offord, van Heerden & Tinker], 371
thyroid
and mechanism of liver necrosis in hyperthyroid rats (CO) [Carmichael], 601
and mechanism of liver necrosis in hyperthyroid rats (CO) [Berman, Kuhnert, Phythyon & Holaday], 601
and thyrotoxic crisis mimicking malignant hyperthermia (CO) [Stevens], 263
triiodothyronine
and phenobarbital-hypoxia model, contrasting effects on halothane hepatotoxicity in [Uetrecht, Wood, Phythyon & Wood], 196
Horowitz, N. H., and Rizzoli, H. V.
Postoperative Complications of Intracranial Neurological Surgery (BR), 613
Humidifiers, *See under* Equipment
Huth, E. J.
How to Write and Publish Papers in the Medical Sciences (BR), 170
Hydralazine, *See under* Pharmacology
Hydrogen, *See under* Ions
Hydromorphone, *See under* Analgesics
Hyperbaria, pressure reversal
of halothane's antiviral effect [Bedows & Knight], 109
Hyperbaric oxygen, *See under* Oxygen
Hypercarbia, *See* Acid-base equilibrium, acidosis, respiratory
Hyperphosphatemia, *See under* Ions, phosphate
Hypertension, *See under* Blood pressure; Complications
Hyperthermia, malignant
case of thyrotoxic crisis that mimicked (CO) [Stevens], 263
controversies in (EV) [Gronert], 273
Duchenne's muscular dystrophy and: another warning (CO) [Rosenberg & Heiman-Patterson], 362
management of, implications for dantrolene in [Flewellen, Nelson, Jones, Arens & Wagner], 275
pregnant patients susceptible to, placental transfer of dantrolene and (CO) [Morison], 265
Hypertonic phosphate enemas, *See under* Enemas

Hypnotics, butyrophenones, droperidol
effects of, on respiratory drive in humans [Prokocimer, Delavault, Rey, Lefevre, Mazze & Desmonts], 113
Hypocalcemia, *See under* Ions, calcium
Hypocarbia, *See* Acid-base equilibrium, acidosis, respiratory
Hypoglycemia, *See under* Complications
Hypotension, *See under* Anesthetic techniques; Blood pressure; Complications; Shock
Hypoxia
cerebral protection by isoflurane during [Newberg & Michenfelder], 29
operating room (CO) [Birch], 365
phenobarbital-, and triiodothyronine model, contrasting effects on halothane hepatotoxicity in [Uetrecht, Wood, Phythyon & Wood], 196
Hypoxic pulmonary vasoconstriction, *See under* Lung(s)
Hysterectomy, *See under* Surgery, gynecologic

I

Induction, anesthetic
technique of, humaneness of, questioned (CO) [Murphy & Hug], 260
technique of, humaneness of, questioned (CO) [Gilroy], 260
Infarction, *See under* Heart
Infection, viral
hospital-associated, and anesthesiologist (MI) [duMoulin & Hedley-Whyte], 51
Infiltration, topical, *See under* Anesthetic techniques
Influenza, *See under* Complications
Infusion pump(s), *See under* Equipment
Inhibition, *See under* Metabolism; Biotransformation
Insulin, *See under* Hormones
Insulinoma, *See under* Surgery
Intraocular pressure, *See under* Eye
Intravascular pressures, *See under* Lung(s)
Intravenous anesthesia, *See under* Anesthetic techniques; Anesthetics, intravenous
Intubation
endotracheal
accidents, early detection of, by monitoring carbon dioxide concentration in respiratory gas (CR) [Murray & Modell], 344
another way to insert Macintosh blade (CO) [Bourke & Lawrence], 80
complications
avoidance of, in study of succinylcholine-induced postoperative sore throat [Capan, Bruce, Patel & Turndorf], 202
obstruction as, another cause of (CO) [McTaggart, Shustack, Noseworthy & Johnston], 164
obstruction as, another cause of (CO) [Wiegert], 164
and postextubation sore throat (CO) [Bernhard], 603
ulceration of inferior turbinate as (CR) [Sherry], 148
technique
balloon cathether in, for nasal intubation (CO) [Kawamoto & Shimidzu], 484
fiberoptic endoscopy-aided (CR) [Rogers & Benumof], 579
and postextubation sore throat (CO) [Bernhard], 603
epistaxis and
as unusual complication of nasotracheal intubation (CR) [Scamman & Babin], 352
esophageal
accidents, early detection of, by monitoring carbon dioxide concentration in respiratory gas (CR) [Murray & Modell], 344
nasotracheal
unusual complication of (CR) [Scamman & Babin], 352
Ions
calcium
hypocalcemia
enema-induced, leading to cardiac arrest during induction of anesthesia in outpatient surgery (CR) [Reedy & Zwiren], 588
in interaction of verapamil and isoflurane [Kates, Kaplan, Guyton, Dorsey, Hug & Hatcher], 132
nifedipin
preoperative, and anesthesia in coronary heart disease (CO) [Skarvan], 362
and verapamil decreasing MAC for halothane in dogs [Maze, Mason & Kates], 327
fluoride
assays for, in study of halothane inhibition of enflurane metabolism in Fischer 344 rats [Fish & Rice], 417
levels of, in halothane hepatotoxicity in phenobarbital-hypoxia and triiodothyronine model [Uetrecht, Wood, Phythyon & Wood], 196
hydrogen
concentration, simple way to convert pH to (CO) [Leon-Ruiz], 155
phosphate, hyperphosphatemia
enema-induced, leading to cardiac arrest during induction of anesthesia in outpatient surgery (CR) [Reedy & Zwiren], 588
potassium
and H^+ activities, in cerebral cortical extracellular fluid, during hypotension in cats [Morris, Heuser, McDowall, Hashiba & Myers], 10
Ischemia, *See under* Heart
Isoflurane, *See under* Anesthetics, volatile

J

Jugular vein, *See under* Vein(s)

K

Kaplan, J. A. (ed.)
Thoracic Anesthesia (BR), 170
Ketamine, *See under* Anesthetics, intravenous; Pharmacodynamics; Pharmacokinetics
Kidney
anephric patients
hemodialysis as treatment for prolonged neuromuscular blockade in (CO) [Lavine & Hindin], 264
blood flow
effects of midazolam and thiopental on, in humans [Lebowitz, Cote, Daniels & Bonventre], 381
diuresis
paradoxical, in some neurosurgical patients under balanced anesthesia (CR) [Mehta, Gergis & Sokoll], 595
failure
chronic, pharmacokinetics of midazolam in [Vinik, Reves, Greenblatt, Abernethy & Smith], 390
function
effects of midazolam and thiopental on, in humans [Lebowitz, Cote, Daniels & Bonventre], 381
hemodialysis
as treatment for prolonged neuromuscular blockade in anephric patients (CO) [Lavine & Hindin], 264

L

Labels, *See under* Equipment
Labor, *See under* Pregnancy
Laryngoscope, *See under* Equipment
Larynx, spasm
pulmonary edema secondary to, in children (CR) [Lee & Downes], 347
Laser, *See under* Equipment
Lavage, pulmonary, *See under* Lung(s)
Leukotrienes, *See under* Mediators
Lidocaine, *See under* Anesthetics, local

Liver
blood flow
hypotension may have profound effect on (CO) [Bagshaw], 168
cirrhosis
thiopental pharmacokinetics in patients with [Pandele, Chaux, Salvadori, Farinotti & Duvaldestin], 123
hepatitis
hospital-associated, and anesthesiologist (MI) [duMoulin & Hedley-Whyte], 51
hepatotoxicity
anesthesia-induced (CO) [Gelman], 487
halothane-related, contrasting effects on, in phenobarbital-hypoxia and triiodothyronine model [Uetrecht, Wood, Phythyon & Wood], 196
mechanism of, in hyperthyroid rats (CO) [Carmichael], 601
mechanism of, in hyperthyroid rats (CO) [Berman, Kuhnert, Phythyon & Holaday], 601
metabolism
of enflurane in Fischer 344 rats, halothane inhibits [Fish & Rice], 417
halothane-related, contrasting effects on, in phenobarbital-hypoxia and triiodothyronine model [Uetrecht, Wood, Phythyon & Wood], 196
Local anesthetics, *See under* Anesthetic techniques, peridural, regional, spinal; Anesthetics, local
Lumbar anesthesia, *See under* Anesthetic techniques, peridural
Lung(s)
airway closure
contribution of, to impaired oxygenation during anesthesia [Bergman & Tien], 395
airway pressure
in high-frequency jet ventilation in postoperative respiratory failure [Rouby, Fusciardi, Bourgain & Viars], 281
alveolar proteinosis
one-lung lavage in (CO) [Spalitta & Marino], 166
closing capacity
contribution of, to impaired oxygenation during anesthesia [Bergman & Tien], 395
closing volume
contribution of, to impaired oxygenation during anesthesia [Bergman & Tien], 395
compliance
in high-frequency jet ventilation in postoperative respiratory failure [Rouby, Fusciardi, Bourgain & Viars], 281
edema
low-pressure, in dogs, effects of hydralazine on cardiopulmonary function in [Ghignone, Girling & Prewitt], 187
unilateral
reexpansion, during emergence from general anesthesia (CR) [Milne, Spence, Lynn & Sleeman], 244
gas exchange
effects of hydralazine on, in canine low-pressure pulmonary edema [Ghignone, Girling & Prewitt], 187
hypoxic pulmonary vasoconstriction
influence of mixed venous oxygen tension ($P\bar{v}_{O_2}$) on blood flow in [Domino, Wetstein, Glasser, Lindgren, Marshall, Harken & Marshall], 428
intravascular pressures
elevated, resulting from upper respiratory obstruction in obese patient (CR) [Teeple & Ghia], 66
lavage
bronchopulmonary (CO) [Shulman, Brebner, Cain & Sandler], 607
one-lung, more on (CO) [Spalitta & Marino], 166
pleural pressure
measurement of, with esophageal balloon in anesthetized humans (LR) [Higgs, Behrakis, Bevan & Milic-Emili], 340
pulmonary hypertension
severe, intrathecal morphine for relief of labor pain in parturient with (CR) [Abboud, Raya, Noueihed & Daniel], 477
respiratory failure
postoperative, high-frequency jet ventilation in [Rouby, Fusciardi, Bourgain & Viars], 281
shunting
effects of hydralazine on, in canine low-pressure pulmonary edema [Ghignone, Girling & Prewitt], 187
influence of mixed venous oxygen tension ($P\bar{v}_{O_2}$) on blood flow in [Domino, Wetstein, Glasser, Lindgren, Marshall, Harken & Marshall], 428
vascular resistance
effects of hydralazine on, in canine low-pressure pulmonary edema [Ghignone, Girling & Prewitt], 187
vasoconstriction
catastrophic, associated with protamine reversal of heparin (CR) [Lowenstein, Johnston, Lappas, D'Ambra, Schneider, Daggett, Akins & Philbin], 470

M

MAC, *See under* Potency, anesthetic
Malignant hyperthermia, *See under* Hyperthermia, malignant
Malignant pyrexia, *See under* Hyperthermia, malignant
Measurement techniques
blood pressure
factitiously low, from Dinamap™ (CO) [Roy, Morgan & Beamer], 258
gas exchange
possible source of error in (CO) [Fletcher, Nordström, Werner & Jonson], 77
occlusion pressure
with esophageal balloon in anesthetized humans (LR) [Higgs, Behrakis, Bevan & Milic-Emili], 340
pleural pressure
with esophageal balloon in anesthetized humans (LR) [Higgs, Behrakis, Bevan & Milic-Emili], 340
pressure, central venous
pseudoarterialization of, by infusion pump (CO) [Urquhart & Shupak], 79
pulse oximeter
evaluation of (CR) [Yelderman & New], 349
transcutaneous oxygen
in critical care medicine (CO) [Yelderman], 266
units
SI units, typographic error in explanation of (CO) [Severinghaus], 486
Mediators
anaphylatoxins
and protamine reversal of heparin, catastrophic pulmonary vasoconstriction associated with (CR) [Lowenstein, Johnston, Lappas, D'Ambra, Schneider, Daggett, Akins & Philbin], 470
complement
and protamine reversal of heparin, catastrophic pulmonary vasoconstriction associated with (CR) [Lowenstein, Johnston, Lappas, D'Ambra, Schneider, Daggett, Akins & Philbin], 470
histamine
and protamine reversal of heparin, catastrophic pulmonary vasoconstriction associated with (CR) [Lowenstein, Johnston, Lappas, D'Ambra, Schneider, Daggett, Akins & Philbin], 470
leukotrienes
and protamine reversal of heparin, catastrophic pulmonary vasoconstriction associated with (CR) [Lowenstein, Johnston, Lappas, D'Ambra, Schneider, Daggett, Akins & Philbin], 470
thromboxane
and protamine reversal of heparin, catastrophic pulmonary vasoconstriction associated with (CR) [Lowenstein, Johnston, Lappas, D'Ambra, Schneider, Daggett, Akins & Philbin], 470
Metabolism
adenosine triphosphate
Na^+, K^+-, inhibition in new approach to differential peripheral nerve fiber block [Fink & Cairns], 127

fasting
and halothane hepatotoxicity in phenobarbital-hypoxia and triiodothyronine model [Uetrecht, Wood, Phythyon & Wood], 196
glucose
for intraoperative fluid management influences carbon dioxide production and respiratory quotient [Hagerdal, Caldwell & Gross], 48
in patients undergoing operation for insulinoma removal [Muir, Endres, Offord, van Heerden & Tinker], 371
metabolites
and halothane hepatotoxicity in phenobarbital-hypoxia and triiodothyronine model [Uetrecht, Wood, Phythyon & Wood], 196
methohexital
and thiopental, pharmacokinetics of, in surgical patients [Hudson, Stanski & Burch], 215
mitochondria
and effects of volatile anesthetics on myocardial oxidation-reduction status assessed by NADH fluorometry (LR) [Kissin, Aultman & Smith], 447
NAD/NADH ratio
and effects of volatile anesthetics on myocardial oxidation-reduction status assessed by NADH fluorometry (LR) [Kissin, Aultman & Smith], 447
respiratory quotient
and carbon dioxide production, intraoperative fluid management influences [Hagerdal, Caldwell & Gross], 48
thiopental
and methohexital, pharmacokinetics of, in surgical patients [Hudson, Stanski & Burch], 215
Metabolism, *See also under* Pharmacokinetics
Metabolites, *See under* Metabolism
Methadone, *See under* Analgesics
Methemoglobinemia, *See under* Blood
Methionine synthetase, *See under* Enzymes
Methohexital, *See under* Anesthetics, intravenous
Methoxyflurane, *See under* Anesthetics, volatile
Methyldopa, *See under* Sympathetic nervous system, sympathetic agents
Methylene blue, *See under* Pharmacology
Midazolam, *See under* Anesthetics, intravenous; Pharmacokinetics
Minimum alveolar concentration, *See* Potency, anesthetic, MAC
Minute ventilation, *See under* Ventilation
Mitochondria, *See under* Metabolism
Monitoring
anesthetic gas
using piezoelectric detector: evaluation of Engstrom EMMA (LR) [Hayes, Westenskow & Jordan], 435
blood pressure
to avoid myocardial ischemia during halothane anesthesia for coronary-artery revascularization [Lieberman, Orkin, Jobes & Schwartz], 36
radial artery cannulation in [Slogoff, Keats & Arlund], 42
central venous pressure
to avoid myocardial ischemia during halothane anesthesia for coronary-artery revascularization [Lieberman, Orkin, Jobes & Schwartz], 36
electrocardiogram
esophageal, simple device for monitoring (CO) [Brown & Greenberg], 483
electroencephalogram
in study of depth of anesthesia and acute tolerance to thiopental [Hudson, Stanski, Saidman & Meathe], 301
end-tidal
using piezoelectric detector: evaluation of Engstrom EMMA (LR) [Hayes, Westenskow & Jordan], 435
heart rate
to avoid myocardial ischemia during halothane anesthesia for coronary-artery revascularization [Lieberman, Orkin, Jobes & Schwartz], 36
in prevention of perioperative myocardial reinfarction (EV) [Lowenstein, Yusuf, Teplick & Peto], 493
pulmonary artery pressure
acute angulation of catheter in (CO) [Bromley & Moorthy], 367
to avoid myocardial ischemia during halothane anesthesia for coronary-artery revascularization [Lieberman, Orkin, Jobes & Schwartz], 36
vapor concentration
using piezoelectric detector: evaluation of Engstrom EMMA (LR) [Hayes, Westenskow & Jordan], 435
vascular
of pressure-volume relationships of pulmonary artery catheter balloon (CR) [McDonald & Zaidan], 240
Monitors, *See under* Equipment
Morphine, *See under* Analgesics, narcotic; Anesthetic techniques, spinal; Anesthetics, intravenous
Mouth occlusion pressure, *See under* Ventilation
Muscarinic receptors, *See under* Receptors
Muscle pain
postoperative, succinylcholine-induced [Capan, Bruce, Patel & Turndorf], 202
Muscle relaxants, *See also under* Neuromuscular relaxants
skeletal
Duchenne's muscular dystrophy
and malignant hyperthermia: another warning (CO) [Rosenberg & Heiman-Patterson], 362
hemiparesis
following dural puncture (CR) [Wedel & Mulroy], 475
nemaline myopathy
neuromuscular blockade in patient with (CR) [Heard & Kaplan], 598
Myalgia, *See under* Complications
Myocardial blood flow, *See under* Heart
Myocardial function, *See under* Heart
Myocardial infarction, *See under* Complications; Heart
Myocardium, *See under* Heart

N

NAD/NADH ratio, *See under* Metabolism
Naloxone, *See under* Antagonists, narcotic
Narcotic analgesics, *See under* Analgesics, narcotic
Narcotic antagonists, *See under* Antagonists, narcotic
Narcotics, *See under* Analgesics, narcotic
Nasogastric tubes, *See under* Equipment
Nasotracheal intubation, *See under* Intubation
Neck dissection, *See under* Surgery
Needles, *See under* Equipment
Nemaline myopathy, *See under* Muscle, skeletal
Neonatal anesthesia, *See under* Anesthesia
Neonatal sepsis, *See under* Complications
Neostigmine, *See under* Antagonists, neuromuscular relaxants
Nerve
block
brachial plexus sheaths in, and functional anatomy of [Thompson & Rorie], 117
conduction
in differential peripheral axon block with lidocaine, unit studies in cervical vagus nerve [Fink & Cairns], 182
and new approach to differential peripheral nerve fiber block: Na^+, K^+-ATPase inhibition [Fink & Cairns], 127
ganglionic transmission
effects of isoflurane on [Seagard, Elegbe, Hopp, Bosnjak, von Colditz, Kalbfleisch & Kampine], 511
potentials
in differential peripheral axon block with lidocaine, unit studies in cervical vagus nerve [Fink & Cairns], 182
and new approach to differential peripheral nerve fiber block: Na^+, K^+-ATPase inhibition [Fink & Cairns], 127
Nerve stimulator, *See under* Equipment
Neuromuscular antagonists, *See under* Antagonists, neuromuscular relaxants
Neuromuscular blockade, *See under* Neuromuscular relaxants

Neuromuscular relaxants
atracurium
requirement for stable muscle relaxation during surgery, evaluation of (CR) [d'Hollander, Luyckx, Barvais & DeVille], 237
safety and efficacy of, in adolescents and children anesthetized with halothane (CR) [Goudsouzian, Liu, Coté, Gionfriddo & Rudd], 459
dantrolene
in controversies in malignant hyperthermia (EV) [Gronert], 273
dose response in awake man: implications for management of malignant hyperthermia [Flewellen, Nelson, Jones, Arens & Wagner], 275
placental transfer of (CO) [Morison], 265
muscle relaxants
narcotics and, histamine release by, in humans (MI) [Moss & Rosow], 330
neuromuscular blockade
prolonged, in anephric patients, hemodialysis as treatment for (CO) [Lavine & Hindin], 264
pancuronium
blockade in anesthetized humans, effects of hypercarbia and hypocarbia on [Gencarelli, Swen, Koot & Miller], 376
-induced neuromuscular block by succinylcholine, modification of, in humans (CR) [Buzello, Krieg, Kuhls & Schlickewei], 583
neostigmine and edrophonium as antagonists of, in infants and children [Meakin, Sweet, Bevan & Bevan], 316
in neuromuscular blockade in patient with nemaline myopathy (CR) [Heard & Kaplan], 598
neuromuscular effects of, in burned children (CR) [Martyn, Liu, Szyfelbein, Ambalabanar & Goudsouzian], 571
regional hemodynamic effects of, comparative study of [Saxena, Dhasmana & Prakash], 102
succinylcholine
defense of use of *d*-tubocurarine prior to, in obstetrics (CO) [Marx & Bassell], 157
modification of pancuronium-induced non-depolarizing neuromuscular block by, in humans (CR) [Buzello, Krieg, Kuhls & Schlickewei], 583
in neuromuscular blockade in patient with nemaline myopathy (CR) [Heard & Kaplan], 598
in outpatient surgery, enema-induced hypocalcemia and hyperphosphatemia leading to cardiac arrest during (CR) [Reedy & Zwiren], 588
postoperative sore throat induced by [Capan, Bruce, Patel & Turndorf], 202
prolonged blockade following, in patient homozygous for silent gene (CR) [Oshita, Sari, Fujii & Yonei], 71
tachyphylaxis with isoflurane (CO) [Ben-David & Gross], 365
tachyphylaxis with isoflurane (CO) [Donati & Bevan], 366
***d*-tubocurarine**
defense of use of, prior to succinylcholine in obstetrics (CO) [Marx & Bassell], 157
as dopaminergic antagonist in rabbit ear artery [Nelson & Steinsland], 98
regional hemodynamic effects of, comparative study of [Saxena, Dhasmana & Prakash], 102
vecuronium
blockade in anesthetized humans, effects of hypercarbia and hypocarbia on [Gencarelli, Swen, Koot & Miller], 376
in evaluation of atracurium besylate requirement for stable muscle relaxation during surgery (CR) [d'Hollander, Luyckx, Barvais & DeVille], 237
regional hemodynamic effects of, comparative study of [Saxena, Dhasmana & Prakash], 102
Neurosurgical anesthesia, *See under* Anesthesia
Nicotinic antagonists, *See under* Antagonists
Nicotinic receptors, *See under* Receptors
Nifedipin, *See under* Ions, calcium
Nitroprusside, *See under* Anesthetic techniques, hypotension, induced; Pharmacology
Nitrous oxide, *See under* Anesthetics, gaseous
Nonanesthetic gases, *See under* Gases
Nonrebreathing circuits, *See under* Equipment
Norepinephrine, *See under* Sympathetic nervous system, catecholamines

O

Obesity, *See under* Complications
Obstetric anesthesia, *See under* Anesthesia
Obstruction, *See under* Complications
Occlusion pressure, *See under* Measurement techniques
Operating rooms
hypoxia (CO) [Birch], 365
Ophthalmologic anesthesia, *See under* Anesthesia
Opiate receptors, *See under* Receptors
Organizations
Society of Neurosurgical Anesthesia and Neurologic Supportive Care (SM), 270
Ouabain, *See under* Pharmacology
Outpatient anesthesia, *See under* Anesthesia
Outpatient surgery, *See under* Surgery
Oxygen
blood levels
in high-frequency jet ventilation in postoperative respiratory failure [Rouby, Fusciardi, Bourgain & Viars], 281
influence of mixed venous oxygen tension ($P\bar{v}_{O_2}$) on, in atelectatic lung [Domino, Wetstein, Glasser, Lindgren, Marshall, Harken & Marshall], 428
pulse oximetry in evaluation of (CR) [Yelderman & New], 349
consumption
during labor with epidural analgesia [Hägerdal, Morgan, Sumner & Gutsche], 425
delivery systems
use of, in nitrogen leak (CO) [Birch], 365
gradients
in study of contribution of closure of pulmonary units to impaired oxygenation during anesthesia [Bergman & Tien], 395
as hazard during laser endoscopic surgery (CO) [Chilcoat, Byles & Kellman], 258
hyperbaric
no effect of, on methionine synthetase activity in rats (LR) [Sharer, Monk & Nunn], 440
measurement
plea for routine use of oxygen analyzers in (CO) [Marks], 159
use of oxygen analyzers in should be mandatory (CO) [Dorsch & Dorsch], 161
tension, arterial
transcutaneous oxygen measurements in critical care medicine as index of (CO) [Yelderman], 266
Oxygen analyzers, *See under* Equipment
Oxygen monitors, *See under* Equipment

P

Pain
epidural morphine
mechanism of epidural lidocaine reversal of tachyphylaxis associated with (CO) [Coombs], 486
therapy
transcutaneous cranial electrical stimulation in (CO) [Nicosia & Lombardi], 264
Pancuronium, *See under* Neuromuscular relaxants
Paralysis, *See under* Complications
Parasympathetic nervous system
acetylcholine
bronchospasm following intraocular injection of, in patient taking metoprolol (CR) [Rasch, Holt, Wilson & Smith], 593
reflexes
effects of isoflurane on [Seagard, Elegbe, Hopp, Bosnjak, von Colditz, Kalbfleisch & Kampine], 511

Partition coefficients, *See under* Solubility
Patient transfer equipment, *See under* Equipment
Pediatric anesthesia, *See under* Anesthesia
Pentobarbital, *See under* Anesthetics, intravenous
Peridural anesthesia, *See under* Anesthetic techniques
Pharmacodynamics
age factors
lack of, in atracuronium besylate requirement for stable muscle relaxation during surgery (CR) [d'Hollander, Luyckx, Barvais & DeVille], 237
fentanyl
continuous infusion, in comparative study of intraoperative and postoperative effects (CR) [White, Dworsky, Horai & Trevor], 574
ketamine
continuous infusion, in comparative study of intraoperative and postoperative effects (CR) [White, Dworsky, Horai & Trevor], 574
thiopental
continuous infusion, in comparative study of intraoperative and postoperative effects (CR) [White, Dworsky, Horai & Trevor], 574
and model for studying depth of anesthesia and acute tolerance to [Hudson, Stanski, Saidman & Meathe], 301
Pharmacokinetics
alfentanil
are they really predictable? (CO) [Fisher], 256
are they really predictable? (CO) [Hug & Stanski], 257
dantrolene
in controversies in malignant hyperthermia (EV) [Gronert], 273
dose response in awake man: implications for management of malignant hyperthermia [Flewellen, Nelson, Jones, Arens & Wagner], 275
distribution
of methohexital and thiopental in surgical patients [Hudson, Stanski & Burch], 215
fentanyl
continuous infusion, in comparative study of intraoperative and postoperative effects (CR) [White, Dworsky, Horai & Trevor], 574
dose-independent [Murphy, Hug & McClain], 537
for infusion in intensive care unit: tolerance to anesthetic effects? (CR) [Shafer, White, Schüttler & Rosenthal], 245
ketamine
continuous infusion, in comparative study of intraoperative and postoperative effects (CR) [White, Dworsky, Horai & Trevor], 574
of lidocaine and bupivacaine, following subarachnoid administration [Burm, van Kleef, Gladines, Spierdijk & Breimer], 191
metabolism
of methohexital and thiopental in surgical patients [Hudson, Stanski & Burch], 215
midazolam
in chronic renal failure patients [Vinik, Reves, Greenblatt, Abernethy & Smith], 390
neostigmine
in infants and children [Fisher, Cronnelly, Miller & Sharma], 220
thiopental
concepts of distribution and metabolism (CO) [Tanner], 484
continuous infusion, in comparative study of intraoperative and postoperative effects (CR) [White, Dworsky, Horai & Trevor], 574
in patients with cirrhosis [Pandele, Chaux, Salvadori, Farinotti & Duvaldestin], 123
Pharmacology
amitriptyline
clonidine withdrawal complicated by therapy with (CR) [Stiff & Harris], 73
calcium chloride
in antagonism of hemodynamic interactions of verapamil and isoflurane [Kates, Kaplan, Guyton, Dorsey, Hug & Hatcher], 152
calcium entry blockers
and preoperative nifedipin and anesthesia in coronary heart disease (CO) [Skarvan], 362
hydralazine
effects of, on cardiopulmonary function in canine low-pressure pulmonary edema [Ghignone, Girling & Prewitt], 187
methylene blue
in methemoglobinemia associated with benzocaine-containing lubricant (CR) [Kellett & Copeland], 463
nitroprusside
antagonism of effects of, by cyanide, may not be clinically relevant (CO) [Cole & Vesey], 159
antagonism of effects of, by cyanide, may not be clinically relevant (CO) [Smith, Kruszyna & Kruszyna], 160
cerebral cortical extracellular fluid H^+ and K^+ activities during hypotension with, in cats [Morris, Heuser, McDowall, Hashiba & Myers], 10
hypotension induced by, in dog, blood-brain barrier function following [Ishikawa, Funatsu, Okamoto, Takeshita & McDowall], 526
ouabain
in inhibition of membrane pump, differential peripheral nerve fiber block by [Fink & Cairns], 127
of thiopental, and model for studying depth of anesthesia and acute tolerance to [Hudson, Stanski, Saidman & Meathe], 301
trimethaphan
cerebral cortical extracellular fluid H^+ and K^+ activities during hypotension with, in cats [Morris, Heuser, McDowall, Hashiba & Myers], 10
hypotension induced by, in dog, blood-brain barrier function following [Ishikawa, Funatsu, Okamoto, Takeshita & McDowall], 526
verapamil
decreases MAC for halothane in dogs [Maze, Mason & Kates], 327
and isoflurane, hemodynamic interactions of [Kates, Kaplan, Guyton, Dorsey, Hug & Hatcher], 132
Phosphate, *See under* Ions
Physics, gas compression
measured with eight anesthetic circuits with and without inline humidification (LR) [Coté, Petkau, Ryan & Welch], 442
Physostigmine, *See under* Antagonists, miscellaneous
Piezoelectric transducer, *See under* Equipment
Placenta, *See under* Anesthesia, obstetric
Pleural pressure, *See under* Lung(s); Measurement techniques
Polypeptides
angiotensin
response during hypotensive anesthesia induced by sodium nitroprusside or trimethaphan camsylate (CR) [Knight, Lane, Hensinger, Bolles & Bjoraker], 248
beta-endorphin
maternal plasma levels of, during labor, effects of epidural anesthesia on [Abboud, Sarkis, Hung, Khoo, Varakian, Henriksen, Noueihed & Goebelsmann], 1
endorphins
plasma levels of, presurgical stress and (CO) [Miralles, Olaso, Fuentes, Lopez, Laorden & Puig], 366
renin
response during hypotensive anesthesia induced by sodium nitroprusside or trimethaphan camsylate (CR) [Knight, Lane, Hensinger, Bolles & Bjoraker], 248
Porphyria, acute intermittent, *See under* Complications
Position, supine
measurement of pleural pressure with esophageal balloon in anesthetized humans (LR) [Higgs, Behrakis, Bevan & Milic-Emili], 340
Positive end-expiratory pressure, *See under* Ventilation
Potassium, *See under* Ions
Potency, anesthetic
and effects of halothane and enflurane on schedule-controlled behavior in rat [Garfield & Vivaldi], 207

MAC
and anesthetic requirements for halothane in young children 0–1 month and 1–6 months of age [Lerman, Robinson, Willis & Gregory], 421
for halothane, verapamil decreases, in dogs [Maze, Mason & Kates], 327
values of mixtures (CO) [Bruce], 609
Potentials, *See under* Nerve
Pregnancy
cesarean section
elective, comparison of cimetidine with antacid for safety and effectiveness in reducing gastric acidity before [Hodgkinson, Glassenberg, Joyce, Coombs, Ostheimer & Gibbs], 86
labor
with epidural analgesia, minute ventilation and oxygen consumption during [Hägerdal, Morgan, Sumner & Gutsche], 425
epidural anesthesia during, effects of, on maternal plasma beta-endorphin levels [Abboud, Sarkis, Hung, Khoo, Varakian, Henriksen, Noueihed & Goebelsmann], 1
Pressure reversal, *See under* Theories of anesthesia
Pressure, *See under* Measurement techniques
Pressure reversal, *See under* Hyperbaria; Theories of anesthesia
Prilocaine, *See under* Anesthetics, local
Protamine, *See under* Blood, coagulation
Protection, cerebral, *See under* Brain
Protein
albumin
and pharmacokinetics of thiopental in patients with cirrhosis [Pandele, Chaux, Salvadori, Farinotti & Duvaldestin], 123
binding
determination of, in study of pharmacokinetics of midazolam in chronic renal failure patients [Vinik, Reves, Greenblatt, Abernethy & Smith], 390
and pharmacokinetics of thiopental in patients with cirrhosis [Pandele, Chaux, Salvadori, Farinotti & Duvaldestin], 123
Protein binding, *See under* Protein
Pseudocholinesterase, *See under* Enzymes
stress, and plasma endorphin levels (CO) [Miralles, Olaso, Fuentes, Lopez, Laorden & Puig], 366
Psychological responses, behavior
schedule-controlled, in rat, effects of halothane and enflurane on [Garfield & Vivaldi], 207
Pulmonary artery catheters, *See under* Equipment
Pulmonary artery pressure, *See under* Monitoring
Pulmonary artery rupture, *See under* Complications
Pulmonary edema, *See under* Complications
Pulmonary hypertension, *See under* Lung(s)
Pulse oximeter, *See under* Measurement techniques
Pulse rate, *See under* Heart
Pyridostigmine, *See under* Antagonists, neuromuscular relaxants

R

Radial arteries, *See under* Arteries
Radical neck dissection, *See under* Surgery
Receptors
acetylcholine
responses mediated by, of dog adrenal medulla, selective actions of intravenous anesthetics on [Sumikawa, Matsumoto, Amenomori, Hirano & Amakata], 412
adrenergic
mediating epinephrine-induced arrhythmias during halothane anesthesia in dog [Maze & Smith], 322
dopamine
d-tubocurarine as antagonist of, in rabbit ear artery [Nelson & Steinsland], 98
muscarinic
responses mediated by, of dog adrenal medulla, selective actions of intravenous anesthetics on [Sumikawa, Matsumoto, Amenomori, Hirano & Amakata], 412
nicotinic
responses mediated by, of dog adrenal medulla, selective actions of intravenous anesthetics on [Sumikawa, Matsumoto, Amenomori, Hirano & Amakata], 412
opiate
and effects of intravenous or subarachnoid morphine on cerebral and spinal cord hemodynamics and antagonism with naloxone in dogs [Matsumiya & Dohi], 175
and effects of spinally administered agents on spinal cord blood flow (EV) [Yaksh], 173
Recovery
delayed
neonatal sepsis and (CO) [Mayhew & Taylor], 77
from general anesthesia, unilateral reexpansion pulmonary edema during (CR) [Milne, Spence, Lynn & Sleeman], 244
ventilation
and life-threatening apnea in infants recovering from anesthesia [Liu, Cote, Goudsouzian, Ryan, Firestone, Dedrick, Liu & Todres], 506
and life-threatening perioperative apnea in ex-"premie" (EV) [Gregory & Steward], 495
Redox state, *See under* Heart
Reflexes, *See under* Sympathetic nervous system; Parasympathetic nervous system
Regional anesthesia, *See under* Anesthetic techniques
Renin, *See under* Polypeptides
Reports of scientific meetings, *See under* Organizations
Research
animal care
humaneness of anesthetic induction technique in, questioned (CO) [Gilroy], 260
humaneness of anesthetic induction technique in, questioned (CO) [Murphy & Hug], 260
SI units, typographic error in explanation of (CO) [Severinghaus], 486
Respiration, *See under* Metabolism; Ventilation
Respiratory acidosis, *See under* Acid-base equilibrium
Respiratory alkalosis, *See under* Acid-base equilibrium
Respiratory depression, *See under* Complications
Respiratory failure, *See under* Lung(s)
Respiratory quotient, *See under* Metabolism
Ropper, A. L., Kennedy, S. K., and Zervas, N. T. (eds.)
Neurological and Neurosurgical Intensive Care (BR), 171
Rubella, *See under* Complications

S

Scavengers, *See under* Equipment
Scientific meetings, reports of, *See under* Organizations
Scleroderma, *See under* Complications
Scurr, C., and Feldman, S.
Scientific Foundations of Anaesthesia (BR), 268
Seizures, *See under* Brain, convulsions; Complications, convulsions; Toxicity, convulsions
Shock
cerebral protection by isoflurane during [Newberg & Michenfelder], 29
Shunting, *See under* Lung(s)
Sindermann, C. J.
Winning the Games Scientists Play (BR), 613
Smith, W. D. A.
Under the Influence. A History of Nitrous Oxide and Oxygen Anaesthesia (BR), 269
Solubility, partition coefficients
of anesthetics in aqueous solutions at 37°, osmolarity determines (LR) [Lerman, Willis, Gregory & Eger], 564
Sore throat, *See under* Complications
Spasm, *See under Specific sites*
Spinal anesthesia, *See under* Anesthetic techniques, spinal
Spinal block, total, *See under* Complications

Spinal cord, blood flow
effects of intravenous or subarachnoid morphine on, and antagonism with naloxone in dogs [Matsumiya & Dohi], 175
effects of spinally administered agents on (EV) [Yaksh], 173
Stanski, D. R., and Watkins, W. D.
Drug Disposition in Anesthesia (BR), 170
Statistics
methods questioned in succinylcholine tachyphylaxis with isoflurane (CO) [Ben-David & Gross], 365
methods questioned in succinylcholine tachyphylaxis with isoflurane (CO) [Donati & Bevan], 366
Stehling, L. C.
Common Problems in Pediatric Anesthesia (BR), 171
Stomach, *See under* Gastrointestinal tract
Succinylcholine, *See under* Neuromuscular relaxants
Sulfur hexafluoride, *See under* Gases, nonanesthetic
Supine position, *See under* Position
Surgery
cardiovascular
halothane anesthesia for, hemodynamic predictors of myocardial ischemia during [Lieberman, Orkin, Jobes & Schwartz], 36
coronary-artery bypass
halothane anesthesia for, hemodynamic predictors of myocardial ischemia during [Lieberman, Orkin, Jobes & Schwartz], 36
gynecologic, hysterectomy
grand mal seizure after fentanyl administration for (CO) [Safwat & Daniel], 78
insulinoma
glucose management in patients undergoing [Muir, Endres, Offord, van Heerden & Tinker], 371
outpatient
continuous infusion fentanyl or ketamine *versus* thiopental for, comparative study (CR) [White, Dworsky, Horai & Trevor], 574
use of continuous infusion versus intermittent bolus administration of fentanyl or ketamine during [White], 294
presurgical stress and plasma endorphin levels (CO) [Miralles, Olaso, Fuentes, Lopez, Laorden & Puig], 366
radical neck dissection
prolongation of Q-T interval and sudden cardiac arrest following (CR) [Otteni, Pottecher, Bonner, Flesch & Diebolt], 358
transcutaneous cranial electrical stimulation during (CO) [Nicosia & Lombardi], 264
Sykes, W. S. and Ellis, R. H. (ed.)
Essays on the First Hundred Years of Anaesthesia, Vol. III (BR), 172
Sympathetic agents, *See under* Sympathetic nervous system
Sympathetic nervous system
adrenal medulla
selective actions of intravenous anesthetics on nicotinic- and muscarinic-receptor-mediated responses of, in dog [Sumikawa, Matsumoto, Amenomori, Hirano & Amakata], 412
catecholamines
epinephrine
-induced arrhythmias during halothane anesthesia, identification of receptor mechanism mediating, 322
plasma-sulfate-conjugated, during anesthesia (CO) [Marty, Couture & DeChamplain], 162
response during hypotensive anesthesia induced by sodium nitroprusside or trimethaphan camsylate (CR) [Knight, Lane, Hensinger, Bolles & Bjoraker], 248
norepinephrine
plasma-sulfate-conjugated, during anesthesia (CO) [Marty, Couture & DeChamplain], 162
response during hypotensive anesthesia induced by sodium nitroprusside or trimethaphan camsylate (CR) [Knight, Lane, Hensinger, Bolles & Bjoraker], 248
selective actions of intravenous anesthetics on nicotinic- and muscarinic-receptor-mediated responses of, in dog [Sumikawa, Matsumoto, Amenomori, Hirano & Amakata], 412
thiopental effects on activity of [Joyce, Roizen & Eger], 19
dopamine
d-tubocurarine as antagonist of, in rabbit ear artery [Nelson & Steinsland], 98
ganglionic blocking agents
in canine model of acute coronary artery stenosis: effects of deliberate hypotension [Hickey, Verrier, Baer, Vlahakes, Fein & Hoffman], 226
trimethaphan
catecholamine and renin-angiotensin response during (CR) [Knight, Lane, Hensinger, Bolles & Bjoraker], 248
hypotension induced by, in dog, blood-brain barrier function following [Ishikawa, Funatsu, Okamoto, Takeshita & McDowall], 526
reflexes
effects of isoflurane on [Seagard, Elegbe, Hopp, Bosnjak, von Colditz, Kalbfleisch & Kampine], 511
sympathetic agents
alpha methyldopa
in clonidine withdrawal complicated by amitriptyline therapy (CR) [Stiff & Harris], 73
clonidine
withdrawal complicated by amitriptyline therapy (CR) [Stiff & Harris], 71
tricyclic antidepressants
in clonidine withdrawal complicated by amitriptyline therapy (CR) [Stiff & Harris], 73
Syringes, *See under* Equipment

T

T-waves, *See under* Heart
Tarhan, S.
Cardiovascular Anesthesia and Postop Care (BR), 370
Tension, end-tidal, *See under* Carbon dioxide
Theories of anesthesia
pressure reversal
of halothane's antiviral effect [Bedows & Knight], 109
relevancy of, to anesthesia (MI) [Matubayasi & Ueda], 551
volume expansion
relevancy of, to anesthesia (MI) [Matubayasi & Ueda], 551
Thermodilution determination, *See under* Heart, cardiac output
Thiamylal, *See under* Anesthetics, intravenous
Thiopental, *See under* Anesthetics, intravenous; Pharmacokinetics
Thoracic anesthesia, *See under* Anesthesia
Thrombosis, *See under* Arteries; Complications
Thromboxane, *See under* Mediators
Thyroid hormone, *See under* Hormones
Thyroid, *See under* Hormones
Thyrotoxicosis, *See under* Complications
Tolerance, acute
to thiopental, and model for studying depth of anesthesia with [Hudson, Stanski, Saidman & Meathe], 301
Topical anesthesia, *See under* Anesthetic techniques
Topical infiltration, *See under* Anesthetic techniques
Toxicity
bupivacaine
and Bier blocks (CO) [Heath], 481
cyanide
antagonism of nitroprusside effects by, may not be clinically relevant (CO) [Cole & Vesey], 159
antagonism of nitroprusside effects by, may not be clinically relevant (CO) [Smith, Kruszyna & Kruszyna], 160
halothane-related, contrasting effects on, in phenobarbital-hypoxia and triiodothyronine model [Uetrecht, Wood, Phythyon & Wood], 196
hepatic
anesthesia-induced (CO) [Gelman], 487
hepatotoxicity
mechanism of, in hyperthyroid rats (CO) [Carmichael], 601
mechanism of, in hyperthyroid rats (CO) [Berman, Kuhnert, Phythyon & Holaday], 601

trace concentrations
and scavenging waste gases in pediatric patients (CO) [Laucks], 612
T-piece, *See under* Equipment
Trace concentrations, *See under* Toxicity
Transconjunctival oxygen measuring device, *See under* Equipment
Transcutaneous cranial electrical stimulation, *See under* Brain
Transfusion, *See under* Blood
Transtracheal ventilation, *See under* Ventilation
Trichlorethylene, *See under* Anesthetics, volatile
Tricyclic antidepressants, *See under* Sympathetic nervous system, sympathetic agents
Triiodothyronine, *See under* Hormones, thyroid
Trimethaphan, *See under* Anesthetic techniques, hypotension, induced; Sympathetic nervous system, ganglionic blocking agents
Tubes, *See under* Equipment
***d*-Tubocurarine, *See under* Neuromuscular relaxants**
Tympanic membrane, *See under* Ear

U

Unit measurements, *See under* Measurement techniques

V

Valves, *See under* Equipment
Vapor concentration analysis, *See under* Monitoring
Vascular monitoring, *See under* Monitoring
Vascular resistance, *See under* Hemodynamics; Lung(s)
Vasoconstriction, *See under* Lung(s)
Vecuronium, *See under* Neuromuscular relaxants
Vein(s)
cannulation
jugular, safer, recognition of arterial puncture and use of external jugular route (CR) [Jobes, Schwartz, Greenhow, Stephenson & Ellison], 353
venospasm in, preventing peripheral venous access (CR) [Cunningham & Korbon], 141
complications
hematoma, in arterial puncture, safer jugular vein cannulation in prevention of (CR) [Jobes, Schwartz, Greenhow, Stephenson & Ellison], 353
jugular
safer cannulation of, recognition of arterial puncture and use of external jugular route (CP) [Jobes, Schwartz, Greenhow, Stephenson & Ellison], 353
spasm
preventing peripheral venous access (CR) [Cunningham & Korbon], 141
Ventilation
anesthetics, effects of
on infants following cesarean section [Fisher, Mortola, Smith, Fox & Weeks], 389
apnea
life-threatening in infants recovering from anesthesia [Liu, Cote, Goudsouzian, Ryan, Firestone, Dedrick, Liu & Todres], 506
life-threatening perioperative, in ex-"premie" (EV) [Gregory & Steward], 495
carbon dioxide response
in assessment of effects of droperidol on respiratory drive in humans [Prokocimer, Delavault, Rey, Lefevre, Mazze & Desmonts], 113
effect of lidocaine on [Gross, Caldwell, Shaw & Laucks], 521
morphine-induced depression of, in human subjects, physostigmine antagonizes [Snir-Mor, Weinstock, Davidson & Bahar], 6
CO_2 response
in pharmacologic studies of breathing (CO) [Knill], 609
controlled
fentanyl infusion in intensive care unit during: tolerance to anesthetic effects? (CR) [Shafer, White, Schüttler & Rosenthal], 245
depression
methadone titration to avoid excessive (CO) [Gourlay, Willis & Wilson], 364
methadone titration to avoid excessive (CO) [Wangler & Rosenblatt], 363
high-frequency jet
in postoperative respiratory failure: determinants of oxygenation [Rouby, Fusciardi, Bourgain & Viars], 281
minute
during labor with epidural analgesia [Hägerdal, Morgan, Sumner & Gutsche], 425
mouth occlusion pressure
in assessment of effects of droperidol on respiratory drive in humans [Prokocimer, Delavault, Rey, Lefevre, Mazze & Desmonts], 113
positive end-expiratory pressure
in study of contribution of closure of pulmonary units to impaired oxygenation during anesthesia [Bergman & Tien], 395
transtracheal
systems for (CO) [Patel], 165
wasted
measured *in vitro* with eight anesthetic circuits with and without inline humidification (LR) [Coté, Petkau, Ryan & Welch], 442
Ventilatory response, *See under* Carbon dioxide
Ventricles, *See under* Heart
Ventricular arrhythmia, *See under* Heart
Verapamil, *See under* Pharmacology
Viral infection, *See* Infection, viral
Virus particles, *See under* Cells
Vitamin B_{12}
cofactor of methionine synthetase, no effect of hyperbaric oxygen on, in rats (LR) [Sharer, Monk & Nunn], 440
Volpitto, P. P., and VanDam, L. D.
The Genesis of Contemporary American Anesthesiology (BR), 370
Volume expansion, *See under* Theories of anesthesia
Vomiting
droperidol
and antiemetic effect of, following outpatient strabismus surgery in children (CR) [Abramowitz, Oh, Epstein, Ruttimann & Friendly], 589
incidence
following strabismus surgery in children, droperidol prophylaxis and (CR) [Abramowitz, Oh, Epstein, Ruttimann & Friendly], 589

W

Wasted ventilation, *See under* Ventilation

Author Index—Volume 59

A

Abboud, T. K., Raya, J., Noueihed, R., Daniel, J.: Intrathecal Morphine for Relief of Labor Pain in a Parturient with Severe Pulmonary Hypertension, 477

Abboud, T. K., Sarkis, F., Hung, T. T., Khoo, S. S., Varakian, L., Henriksen, E., Noueihed, R., Goebelsmann, U.: Effects of Epidural Anesthesia during Labor on Maternal Plasma Beta-Endorphin Levels, 1

Abernethy, D. R., *see* Vinik, H. R.

Abramowitz, M.: Safety Check for the CPRAM Circuit, 498

Abramowitz, M. D., Oh, T. H., Epstein, B. S., Ruttimann, U. E., Friendly, D. S.: The Antiemetic Effect of Droperidol Following Outpatient Strabismus Surgery in Children, 589

Akins, C. W., *see* Lowenstein, E.

Albin, M. S., Babinski, M. F., Gilbert, J., Smith, S. L.: Venous Air Embolism is Not Restricted to Neurosurgery!, 151

Albright, G. A., *see* Cohen, S. E.

Allen, H. L.: Fathers in the Delivery Rooms—Survey Results of Anesthesia Departments, 152

Amakata, Y., *see* Sumikawa, K.

Ambalabanar, E. S., *see* Martyn, J. A. J.

Amenomori, Y., *see* Sumikawa, K.

Arai, T., Kuzume, K.: Endotracheal Tube Obstruction Possibly due to Structural Fault, 480

Arens, J. F., *see* Flewellen, E. H.

Ariola, S., Jr., *see* Reiz, S.

Arlund, C., *see* Slogoff, S.

Artru, A. A., Chadwick, H. S., Colley, P. S., Momil, S.: Interference with Processed Electroencephalographic Recording by Facial Nerve Stimulation, 605

Ashton, J. P. A., *see* Mihm, F. G.

Aultman, D. F., *see* Kissin, I.

Azar, I., Pham, A. N., Karambelkar, D. J., Lear, E.: The Heart Rate Following Edrophonium-Atropine and Edrophonium-Glycopyrrolate Mixtures, 139

B

Babin, R. W., *see* Scamman, F. L.

Baer, R. W., *see* Hickey, R. F.

Bagshaw, R. J.: Hypotension May Have Profound Effect on the Liver, 168

Bahar, M., *see* Snir-Mor, I.

Bailey, P. L.: Failed Release of an Activated Oxygen Flush Valve, 480

Bålfors, E., *see* Reiz, S.

Bancroft, G. H., Lauria, J. I.: Ketamine Induction for Cesarean Section in a Patient with Acute Intermittent Porphyria and Achondroplastic Dwarfism, 143

Barvais, L., *see* d'Hollander, A. A.

Bassell, G. M., *see* Marx, G. F.

Bause, G. S.: A Simple Way to Transport Drugs, 153

Beamer, D., *see* Roy, R. C.

Bedows, E., Knight, P. R.: Pressure Reversal of Halothane's Antiviral Effect, 109

Behrakis, P. K., *see* Higgs, B. D.

Ben-David, B., Gross, J. B.: Succinylcholine Tachyphylaxis with Isoflurane, 365

Benumof, J. L., *see* Rogers, S. N.

Bergman, N. A., Tien, Y. K.: Contribution of the Closure of Pulmonary Units to Impaired Oxygenation During Anesthesia, 395

Berman, M. L., Kuhnert, L., Phythyon, J. M., Holaday, D. A.: Reply to: Mechanism of Liver Necrosis in Hyperthyroid Rats, 601

Bernhard, W. N.: Questionable Partial Cure for a Minor Clinical Problem, 603

Bevan, D. R., *see* Donati, F.; *also see* Higgs, B. D.; Meakin, G.

Bevan, J. C., *see* Meakin, G.

Birch, A. A.: Operating Room Hypoxia, 365

Bjoraker, D. G., *see* Knight, P. R.

Bodner, A.: Further Suggestions on Epidural Spread in Pregnancy, 610

Bolles, R. S., *see* Knight, P. R.

Bonventre, J. V., *see* Lebowitz, P. W.

Bosnjak, Z. J., *see* Seagard, J. L.

Bourgain, J. L., *see* Rouby, J. J.

Bourke, D. L., Lawrence, J.: Another Way to Insert a Macintosh Blade, 80

Brebner, J., *see* Shulman, M. S.

Breimer, D. D., *see* Burm, A. G.

Bromley, J. J., Moorthy, S. S.: Acute Angulation of a Pulmonary Artery Catheter, 367

Bronner, G., *see* Otteni, J. C.

Brown, D. L., Greenberg, D. J.: A Simple Device for Monitoring the Esophageal Electrocardiogram, 482

Bruce, D. L.: MAC Values of Mixtures, 609

Bruce, D. L., *see* Capan, L. M.

Burch, P. G., *see* Hudson, R. J.

Burm, A. G., van Kleef, J. W., Gladines, M. P., Spierdijk, J., Breimer, D. D.: Plasma Concentrations of Lidocaine and Bupivacaine after Subarachnoid Administration, 191

Butler, B. D., *see* Hills, B. A.

Buzello, W., Krieg, N., Kuhls, E., Schlickewei, A.: Modification of Pancuronium-Induced Non-depolarizing Neuromuscular Block by Succinylcholine in Anesthetized Humans, 583

Byles, P. H., Kellman, R. M.: The Hazard of Nitrous Oxide during Laser Endoscopic Surgery, 258

C

Cain, J., *see* Shulman, M. S.

Cairns, A. M., *see* Fink, B. R.

Caldwell, C. B., *see* Gross, J. B.; *also see* Hagerdal, M.

Capan, L. M., Bruce, D. L., Patel, K. P., Turndorf, H.: Succinylcholine-induced Postoperative Sore Throat, 202

Capuano, C., *see* Wolf, G. L.

Carmichael, F. J.: Mechanism of Liver Necrosis in Hyperthyroid Rats, 601

Carrie, L. E. S., Simpson, P. J.: Understanding Anaesthesia, 492

Cassady, J. F., Patel, R. I., Epstein, B. S.: Calculations for Predicting Blood Transfusion Needs, 491

Chadwick, H. S., *see* Artru, A. A.

Chaux, F., *see* Pandele, G.

Cohen, S. E., Rothblatt, A. J., Albright, G. A.: Early Respiratory Depression with Epidural Narcotic and Intravenous Droperidol, 569

Cole, P. V., Vesey, C. J.: Antagonism of Nitroprusside Effects by Cyanide May Not Be Clinically Relevant, 159

Colley, P. S., *see* Artru, A. A.

Conklin, K. A., *see* Thompson, J.

Coombs, D. W.: Mechanism of Epidural Lidocaine Reversal of Tachyphylaxis to Epidural Morphine Analgesia, 486

Coombs, D. W., *see* Hodgkinson, R.

Cooper, P. R.: Head Injury, 268

Copeland, C. S., *see* Kellett, P. B.

Coté, C. J., Petkau, A. J., Ryan, J. F., Welch, J. P.: Wasted Ventilation Measured *In Vitro* with Eight Anesthetic Circuits with and without Inline Humidification, 442; *also see* Goudsouzian, N. G.; Liu, L. M. P.

Cote, M. E., *see* Lebowitz, P. W.

Couture, J., *see* Marty, J.

Crawford, J. S.: Collapse after Epidural Injection Following Inadvertent Dural Perforation, 78

Cronnelly, R., *see* Fisher, D. M.; *also see* Miller, R. D.

Cunningham, E., Korbon, G. A.: Venospasm Preventing Peripheral Venous Access, 141

D

Daggett, W. M., *see* Lowenstein, E.

D'Ambra, M. N., *see* Lowenstein, E.

Daniel, D., *see* Safwat, A. M.

Daniel, J., *see* Abboud, T. K.

Daniels, A. L., *see* Lebowitz, P. W.

Davidson, J. T., *see* Snir-Mor, I.

Davis, R. F., DeBoer, L. W. V., Rude, R. E., Lowenstein, E., Maroko, P. R.: The Effect of Halothane Anesthesia on Myocardial Necrosis, Hemodynamic Performance, and Regional Myocardial Blood Flow in Dogs Following Coronary Artery Occlusion, 402

DeBoer, L. W. V., *see* Davis, R. F.

De Champlain, J., *see* Marty, J.

Dedrick, D. F., *see* Liu, L. M. P.

Delavault, E., *see* Prokocimer, P.
Desmonts, J. M., *see* Prokocimer, P.
De Ville, A., *see* d'Hollander, A. A.
Dhasmana, K. M., *see* Saxena, P. R.
d'Hollander, A. A., Luyckx, C., Barvais, L., De Ville, A.: Clinical Evaluation of Atracurium Besylate Requirement for a Stable Muscle Relaxation during Surgery: Lack of Age-related Effects, 237
Diebolt, J. R., *see* Otteni, J. C.
Dohi, S., Naito, H.: Intraarterial Injection of 2.5% Thiamylal Does Cause Gangrene, 154; *also see* Matsumiya, N.
Domino, K. B., Wetstein, L., Glasser, S. A., Lindgren, L., Marshall, C., Harken, A., Marshall, B. E.: Influence of Mixed Venous Oxygen Tension ($P\bar{v}_{O_2}$) on Blood Flow to Atelectatic Lung, 428
Donati, F., Bevan, D. R.: Reply to: Succinylcholine Tachyphylaxis with Isoflurane, 366
Dorsch, J. A., *see* Dorsch, S. E.
Dorsch, S. E., Dorsch, J. A.: Use of Oxygen Analyzers Should be Mandatory, 161
Dorsey, L., *see* Kates, R. A.
Downes, J. J., *see* Lee, K. W. T.
Drummond, J. C., Todd, M. M., Toutant, S. M., Shapiro, H. M.: Brain Surface Protrusion during Enflurane, Halothane, and Isoflurane Anesthesia in Cats, 288
du Moulin, G. C., Hedley-Whyte, J.: Hospital-associated Viral Infection and the Anesthesiologist, 51
Duncan, P. G., Kobrinsky, N.: Prilocaine-induced Methemoglobinemia in a Newborn Infant, 75
Dundee, J. W.: Intraarterial Thiopental, 154
Duvaldestin, P., *see* Pandele, G.
Dworsky, W. A., *see* White, P. F.

E

Ebert, J., *see* McDanal, J. T.
Eger, E. I., II, *see* Joyce, J. T.; *also see* Lerman, J.
Elegbe, E. O., *see* Seagard, J. L.
El-Etr, A. A., *see* Rao, T. L. K.
Ellis, R. H., *see* Sykes, W. S.
Ellison, N., *see* Jobes, D. R.
Endres, S. M., *see* Muir, J. J.
Epstein, B. S., *see* Abramowitz, M. D.; *also see* Cassady, J. F.

F

Farinotti, M., *see* Pandele, G.
Fein, G., *see* Hickey, R. F.
Feldman, S., *see* Scurr, C.
Fink, B. R., Cairns, A. M.: A New Approach to Differential Peripheral Nerve Fiber Block: Na^+,K^+-ATPase Inhibition, 127
Fink, B. R., Cairns, A. M.: Differential Peripheral Axon Block with Lidocaine: Unit Studies in the Cervical Vagus Nerve, 182
Firestone, S., *see* Liu, L. M. P.
Fish, K. J., Rice, S. A.: Halothane Inhibits Metabolism of Enflurane in Fischer 344 Rats, 417
Fisher, D. M.: Are the Pharmacokinetics of Alfentanil Really Predictable?, 256
Fisher, D. M., Cronnelly, R., Miller, R. D., Sharma, M.: The Neuromuscular Pharmacology of Neostigmine in Infants and Children, 220
Fisher, J. T., Mortola, J. P., Smith, B., Fox, G. S., Weeks, S. K.: Neonatal Pattern of Breathing Following Cesarean Section: Epidural *versus* General Anesthesia, 389
Flesch, H., *see* Otteni, J. C.
Fletcher, R., Nordström, L., Werner, O., Jonson, B.: A Possible Source of Error in Gas Exchange Measurements, 77
Flewellen, E. H., Nelson, T. E., Jones, W. P., Arens, J. F., Wagner, D. L.: Dantrolene Dose Response in Awake Man: Implications for Management of Malignant Hyperthermia, 275
Fox, G. S., *see* Fisher, J. T.
Frankel, D. Z. N.: Adhesive Tape Obstructing an Anesthetic Circuit, 256
Friedman, A., *see* Reiz, S.
Friendly, D. S., *see* Abramowitz, M. D.
Fuentes, T., *see* Miralles, F. S.
Fujii, S., *see* Oshita, S.; *also see* Sakabe, T.
Funatsu, N., *see* Ishikawa, T.
Fusciardi, J., *see* Rouby, J. J.

G

Gandhi, S. K., Reynolds, A. C.: A Modification of Allen's Test to Detect Aberrant Ulnar Collateral Circulation, 147
Garfield, J. M., Vivaldi, E.: Effects of Halothane and Enflurane on Schedule-controlled Behavior in the Rat, 207
Gelman, S.: Anesthesia-induced Hepatotoxicity, 487
Gencarelli, P. J., Swen, J., Koot, H. W. J., Miller, R. D.: The Effects of Hypercarbia and Hypocarbia on Pancuronium and Vecuronium Neuromuscular Blockades in Anesthetized Humans, 376
Gergis, S. D., *see* Mehta, M. P.
Ghia, J. N., *see* Teeple, E.
Ghignone, M., Girling, L., Prewitt, R. M.: Effects of Hydralazine on Cardiopulmonary Function in Canine Low-pressure Pulmonary Edema, 187
Gibbs, C. P., *see* Hodgkinson, R.
Giesecke, A. H., *see* Hilley, M. D.
Gilbert, J., *see* Babinski, M. F.
Gilroy, B. A.: Humaneness of Anesthetic Induction Technique Questioned, 260
Gionfriddo, M., *see* Goudsouzian, N. G.
Girling, L., *see* Ghignone, M.
Gladines, M. P., *see* Burm, A. G.
Glassenberg, R., *see* Hodgkinson, R.
Glasser, S. A., *see* Domino, K. B.
Goebelsmann, U., *see* Abboud, T. K.
Goethe, J., *see* Graybar, G.
Goudsouzian, N. G., Liu, L. M. P., Coté, C. J., Gionfriddo, M., Rudd, G. D.: Safety and Efficacy of Atracurium in Adolescents and Children Anesthetized with Halothane, 459
Goudsouzian, N. G., *see* Liu, L. M. P.; *also see* Martyn, J. A. J.
Gourlay, G. K., Willis, R. J., Wilson, P. R.: Reply to: Methadone Titration to Avoid Excessive Respiratory Depression, 364
Graybar, G., Goethe, J., Levy, T., Phillips, J., Youngberg, J., Smith, D.: Transient Large Upright T-Wave on the Electrocardiogram during Multiple Monitored Electroconvulsive Therapy, 467
Greenberg, D. J., *see* Brown, D. L.
Greenblatt, D. J., *see* Vinik, H. R.
Greenhow, D. E., *see* Jobes, D. R.
Gregory, G. A., Steward, D. J.: Life-threatening Perioperative Apnea in the Ex-"premie", 495
Gregory, G. A., *see* Lerman, J.
Gronert, G. A.: Controversies in Malignant Hyperthermia, 273
Gross, J. B., Caldwell, C. B., Shaw, L. M., Laucks, S. O.: The Effect of Lidocaine on the Ventilatory Response to Carbon Dioxide, 521; *also see* Ben-David, B.; Hagerdal, M.
Gupta, B., *see* Wangler, M. A.
Gutsche, B. B., *see* Hägerdal, M.
Guyton, R. A., *see* Kates, R. A.

H

Hagen, J. F., *see* Pinchak, A. C.
Hägerdal, M., Caldwell, C. B., Gross, J. B.: Intraoperative Fluid Management Influences Carbon Dioxide Production and Respiratory Quotient, 48
Hägerdal, M., Morgan, C. W., Sumner, A. E., Gutsche, B. B.: Minute Ventilation and Oxygen Consumption during Labor with Epidural Analgesia, 425
Hannallah, R. S., McGill, W. A.: A Practical Way of Using Heated Humidifiers with Pediatric T-piece Systems, 156
Hannenberg, A. A.: An Atraumatic Method for Topical Application of Local Anesthetics to the Nasal Mucosa, 606
Harken, A., *see* Domino, K. B.
Harris, D. B., *see* Stiff, J. L.
Hartung, J., *see* Wolf, G. L.
Hashiba, M., *see* Morris, P. J.
Hatcher, C. R., *see* Kates, R. A.
Hayes, J. K., Westenskow, D. R., Jordan, W. S.: Monitoring Anesthetic Vapor Concentrations Using a Piezoelectric Detector: Evaluation of the Engstrom Emma, 435
Heard, S. O., Kaplan, R. F.: Neuromuscular Blockade in a Patient with Nemaline Myopathy, 598
Heath, M. L.: Bupivicaine Toxicity and Bier Blocks, 481
Hedley-Whyte, J., *see* du Moulin, G. C.

Heiman-Patterson, T., *see* Rosenberg, H.
Henderson, R. B., *see* Hilley, M. D.
Henriksen, E., *see* Abboud, T. K.
Hensinger, R. N., *see* Knight, P. R.
Hershey, S. G.: The Rovenstine Inheritance—A Chain of Leadership. Emery A. Rovenstine Memorial Lecture on the Occasion of the Annual Meeting of the American Society of Anesthesiologists, 453
Heuser, D., *see* Morris, P. J.
Hickey, R. F., Verrier, E. D., Baer, R. W., Vlahakes, G. J., Fein, G., Hoffman, J. I. E.: A Canine Model of Acute Coronary Artery Stenosis: Effects of Deliberate Hypotension, 226
Hicks, H. C., Hummel, J. C.: Multiorificed Balloon Catheter Ideal for Neuroanesthesia, 261
Higgs, B. D., Behrakis, P. K., Bevan, D. R., Milic-Emili, J.: Measurement of Pleural Pressure with Esophageal Balloon in Anesthetized Humans, 340
Hilley, M. D., Henderson, R. B., Giesecke, A. H.: Difficult Extubation of the Trachea, 149
Hills, B. A., Butler, B. D.: Air Embolism: Further Basic Facts Relevant to the Placement of Central Venous Catheters and Doppler Monitors, 163
Hindin, B. I., *see* Lavine, L. M.
Hirano, H., *see* Sumikawa, K.
Hodgkinson, R., Glassenberg, R., Joyce, T. H., III, Coombs, D. W., Ostheimer, G. W., Gibbs, C. P.: Comparison of Cimetidine (Tagamet®) with Antacid for Safety and Effectiveness in Reducing Gastric Acidity before Elective Cesarean Section, 86
Hoffman, J. I. E., *see* Hickey, R. F.
Holaday, D. A., *see* Berman, M. L.
Holt, J., *see* Rasch, D. R.
Hopp, F A., *see* Seagard, J. L.
Horai, Y., *see* White, P. F.
Horowitz, N. H., Rizzoli, H. V.: Postoperative Complications of Intracranial Neurological Surgery, 613
Hudson, R. J., Stanski, D. R., Burch, P. G.: Pharmacokinetics in Methohexital and Thiopental in Surgical Patients, 215
Hudson, R. J., Stanski, D. R., Saidman, L. J., Meathe, E.: A Model for Studying Depth of Anesthesia and Acute Tolerance to Thiopental, 301
Hug, C. C., Jr., Stanski, D. R.: Reply to: Are the Pharmacokinetics of Afentanil Really Predictable?, 257; *also see* Kates, R. A.; Murphy, M. R.
Hummel, J. C., *see* Hicks, H. C.
Hung, T. T., *see* Abboud, T. K.
Huth, E. J.: How to Write and Publish Papers in the Medical Sciences, 170

I

Ishikawa, T., Funatsu, N., Okamoto, K., Takeshita, H., McDowall, D. G.: Blood-Brain Barrier Function Following Drug-induced Hypotension in the Dog, 526
Ishikawa, T., *see* Sakabe, T.

J

Jacobs, K. H., *see* Rao, T. L. K.
Jang, T. L., MacLeod, B. A., Walker, M. J. A.: Effects of Halogenated Hydrocarbon Anesthetics on Responses to Ligation of a Coronary Artery in Chronically Prepared Rats, 309
Jobes, D. R., Schwartz, A. J., Greenhow, D. E., Stephenson, L. W., Ellison, N.: Safer Jugular Vein Cannulation: Recognition of Arterial Puncture and Preferential Use of the External Jugular Route, 353
Jobes, D. R., *see* Lieberman, R. W.
Johnston, R., *see* McTaggart, R. A.
Johnston, W. E., *see* Lowenstein, E.
Jones, W. P., *see* Flewellen, E. H.
Jonson, B., *see* Fletcher, R.
Jordan, W. S., *see* Hayes, J. K.
Joyce, J. T., Roizen, M. F., Eger, E. I., II: Effect of Thiopental Induction on Sympathetic Activity, 19
Joyce, T. H., III, *see* Hodgkinson, R.

K

Kalbfleisch, J. H., *see* Seagard, J. L.
Kampine, J. P., *see* Seagard, J. L.
Kaplan, J. A. (ed.): Thoracic Anesthesia, 170; *also see* Kates, R. A.
Kaplan, R. F., *see* Heard, S. O.
Karambelkar, D. J., *see* Azar, I.
Kates, R. A., Kaplan, J. A., Guyton, R. A., Dorsey, L., Hug, C. C., Jr., Hatcher, C. R.: Hemodynamic Interactions of Verapamil and Isoflurane, 132
Kates, R. E., *see* Maze, M.
Kawamoto, M., Shimidzu, Y.: A Balloon Catheter for Nasal Intubation, 484
Keats, A. S., *see* Slogoff, S.
Kellett, P. B., Copeland, C. S.: Methemoglobinemia Associated with Benzocaine-containing Lubricant, 463
Kellman, R. M., *see* Byles, P. H.
Kennedy, S. K., *see* Ropper, A. L.
Khoo, S. S., *see* Abboud, T. K.
Kissin, I., Aultman, D. F., Smith, L. R.: Effects of Volatile Anesthetics on Myocardial Oxidation-Reduction Status Assessed by NADH Fluorometry, 447
Knight, P. R., Lane, G. A., Hensinger, R. N., Bolles, R. S., Bjoraker, D. G.: Catecholamine and Renin–Angiotensin Response during Hypotensive Anesthesia Induced by Sodium Nitroprusside or Trimethaphan Camsylate, 248
Knight, P. R., *see* Bedows, E.
Knill, R. L.: Wresting or Resting Ventilation, 609
Kobrinsky, N., *see* Duncan, P. G.
Koot, H. W. J., *see* Gencarelli, P. J.
Korbon, G. A., *see* Cunningham, E.
Krieg, N., *see* Buzello, W.
Kruszyna, H., *see* Smith, R. P.
Kruszyna, R., *see* Smith, R. P.
Kuhls, E., *see* Buzello, W.
Kuhnert, L., *see* Berman, M. L.
Kuzume, K., *see* Arai, T.

L

Lane, G. A., *see* Knight, P. R.
Laorden, M. L., *see* Miralles, F. S.
Lappas, D. G., *see* Lowenstein, E.
Laucks, S. O.: Scavenging Waste Gases in Pediatric Patients, 612; *also see* Gross, J. B.
Lauria, J. I., *see* Bancroft, G. H.
Lavine, L. M., Hindin, B. I.: Hemodialysis as Treatment for Prolonged Neuromuscular Blockade in Anephric Patients, 264
Lawrence, J., *see* Bourke, D. L.
Le Neel, J.-C., *see* Meignier, M.
Lear, E., *see* Azar, I.
Lebowitz, P. W., Cote, M. E., Daniels, A. L., Bonventre, J. V.: Comparative Renal Effects of Midazolam and Thiopental in Humans, 381
Lee, K. W. T., Downes, J. J.: Pulmonary Edema Secondary to Laryngospasm in Children, 347
Lefevre, P., *see* Prokocimer, P.
Leon-Ruiz, E. N.: A Simple Way to Convert *p*H to Hydrogen Ion Concentration, 155
Lerman, J., Robinson, S., Willis, M. M., Gregory, G. A.: Anesthetic Requirements for Halothane in Young Children 0-1 Month and 1-6 Months of Age, 421
Lerman, J., Willis, M. M., Gregory, G. A., Eger, E. I., II: Osmolarity Determines the Solubility of Anesthetics in Aqueous Solutions at 37°, 564
Levy, T., *see* Graybar, G.
Lieberman, R. W., Orkin, F. K., Jobes, D. R., Schwartz, A. J.: Hemodynamic Predictors of Myocardial Ischemia during Halothane Anesthesia for Coronary-Artery Revascularization, 36
Lindgren, L., *see* Domino, K. B.
Liu, L. M. P., Cote, C. J., Goudsouzian, N. G., Ryan, J. F., Firestone, S., Dedrick, D. F., Liu, P. L., Todres, I. D.: Life-threatening Apnea in Infants Recovering from Anesthesia, 506; *also see* Goudsouzian, N. G.; Martyn, J. A. J.
Liu, P. L., *see* Liu, L. M. P.
Lombardi, M., *see* Nicosia, F.
Lopez, F., *see* Miralles, F. S.
Lowenstein, E., Johnston, W. E., Lappas, D. G., D'Ambra, M. N., Schneider, R. C., Daggett, W. M., Akins, C. W., Philbin, D. M.: Catastrophic Pulmonary Vasoconstriction Associated with Protamine Reversal of Heparin, 470
Lowenstein, E., Yusuf, S., Teplick, R. S., Peto, R.: Perioperative Myocardial Reinfarction: A Glimmer of Hope—A Note of Caution, 493; *also see* Davis, R. F.
Luich, R. J.: CO_2 Absorber Malassembly, 608

Luyckx, C., *see* d'Hollander, A. A.
Lynn, R. B., *see* Milne, B.

M

MacLeod, B. A., *see* Jang, T. L.
Maekawa, T., *see* Sakabe, T.
Mantia, A. M.: A Defective Washington T-piece: An Example of Inevitable Failure and Lessons to Be Learned, 167
Marino, R. J., *see* Spalitta, J. T.
Mark, L. C.: A Lone Case of Gangrene Following Intraarterial Thiopental 2.5%, 153
Mark, L. C., Poppers, P. J.: Thiopental Anesthesia for Cesarean Section: A Rebuttal, 158
Marks, W. E., Jr.: A Plea for the Routine Use of Oxygen Analyzers, 159
Maroko, P. R., *see* Davis, R. F.
Marshall, B. E., *see* Domino, K. B.
Marshall, C., *see* Domino, K. B.
Marty, J., Couture, J., De Champlain, J.: Plasma-Sulfate–Conjugated Catecholamines during Anesthesia, 162
Martyn, J. A. J., Liu, L. M. P., Szyfelbein, S. K., Ambalabanar, E. S., Goudsouzian, N. G.: The Neuromuscular Effects of Pancuronium in Burned Children, 571
Marx, G. F., Bassell, G. M.: In Defense of the Use of *d*-Tubocurarine prior to Succinylcholine in Obstetrics, 157
Mason, D. M., Jr., *see* Maze, M.
Matsuki, A., *see* Yamashita, M.
Matsumiya, N., Dohi, S.: Effects of Intravenous or Subarachnoid Morphine on Cerebral and Spinal Cord Hemodynamics and Antagonism with Naloxone in Dogs, 175
Matsumoto, T., *see* Sumikawa, K.
Matubayasi, N., Ueda, I.: Is Membrane Expansion Relevant to Anesthesia? Mean Excess Volume, 551
Mayhew, J., Taylor, B.: Neonatal Sepsis and Anesthesia, 77
Maze, M., Mason, D. M., Jr., Kates, R. E.: Verapamil Decreases MAC for Halothane in Dogs, 327
Maze, M., Smith, C. M.: Identification of Receptor Mechanism Mediating Epinephrine-induced Arrhythmias during Halothane Anesthesia in the Dog, 322
Mazze, R. I., *see* Prokocimer, P.
McClain, D. A., *see* Murphy, M. R.
McDanal, J. T., Wheeler, D. M., Ebert, J.: A Complication of Nasogastric Intubation: Pulmonary Hemorrhage, 356
McDonald, D. H., Zaidan, J. R.: Pressure–Volume Relationships of the Pulmonary Artery Catheter Balloon, 240
McDowall, D. G., *see* Ishikawa, T.; *also see* Morris, P. J.
McGill, W. A., *see* Hannallah, R. S.
McTaggart, R. A., Shustack, A., Noseworthy, T., Johnston, R.: Another Cause of Obstruction in an Armored Endotracheal Tube, 164
Meakin, G., Sweet, P. T., Bevan, J. C., Bevan, D. R.: Neostigmine and Edrophonium as Antagonists of Pancuronium in Infants and Children, 316
Meathe, E., *see* Hudson, R. J.
Mehta, M. P., Gergis, S. D., Sokoll, M.: Paradoxical Diuresis in Some Neurosurgical Patients Under Balanced Anesthesia, 595
Meignier, M., Souron, R., Le Neel, J.-C.: Postoperative Lumbar Epidural Analgesia in the Child with Respiratory Disabilities, 473
Michenfelder, J. D., *see* Newberg, L. A.
Mihm, F. G., Ashton, J. P. A.: Pulmonary Artery Catheters—The Shake–Flick Test, 263
Milde, J. H., *see* Newberg, L. A.
Milic-Emili, J., *see* Higgs, B. D.
Miller, R. D., Cronnelly, R.: A New Look at an Old Drug, 84; *also see* Fisher, D. M.; Gencarelli, P. J.
Milne, B., Spence, D., Lynn, R. B., Sleeman, D.: Unilateral Reexpansion Pulmonary Edema during Emergence from General Anesthesia, 244
Miralles, F. S., Olaso, M. J., Fuentes, T., Lopez, F., Laorden, M. L., Puig, M. M.: Presurgical Stress and Plasma Endorphin Levels, 366
Modell, J. H., *see* Murray, I. P.
Moir, D. D.: Cimetidine, Antacids, and Pulmonary Aspiration, 81
Momil, S., *see* Artru, A. A.
Monk, S. J., *see* Sharer, N. M.
Moorthy, S. S., *see* Bromley, J. J.
Morgan, C. W., *see* Hägerdal, M.
Morgan, L., *see* Roy, R. C.
Morison, D. H.: Placental Transfer of Dantrolene, 265
Morris, P. J., Heuser, D., McDowall, D. G., Hashiba, M., Myers, D.: Cerebral Cortical Extracellular Fluid H^+ and K^+ Activities during Hypotension in Cats, 10
Mortola, J. P., *see* Fisher, J. T.
Moss, J., Rosow, C. E.: Histamine Release by Narcotics and Muscle Relaxants in Humans, 330
Muir, J. J., Endres, S. M., Offord, K., van Heerden, J. A., Tinker, J. H.: Glucose Management in Patients Undergoing Operation for Insulinoma Removal, 371
Mulroy, M. F., *see* Wedel, D. J.
Murphy, M. R., Hug, C. C., Jr., McClain, D. A.: Dose-independent Pharmacokinetics of Fentanyl, 537
Murphy, M. R., Hug, C. C., Jr.: Reply to: Humaneness of Anesthetic Induction Technique Questioned, 260
Murray, I. P., Modell, J. H.: Early Detection of Endotracheal Tube Accidents by Monitoring Carbon Dioxide Concentration in Respiratory Gas, 344
Myers, D., *see* Morris, P. J.

N

Naito, H., *see* Dohi, S.
Nelson, S. H., Steinsland, O. S.: *d*-Tubocurarine as a Dopaminergic Antagonist in the Rabbit Ear Artery, 98
Nelson, T. E., *see* Flewellen, E. H.
New, W., Jr., *see* Yelderman, M.
Newberg, L. A., Michenfelder, J. D.: Cerebral Protection by Isoflurane during Hypoxemia or Ischemia, 29
Newberg, L. A., Milde, J. H., Michenfelder, J. D.: The Cerebral Metabolic Effects of Isoflurane at and above Concentrations that Suppress Cortical Electrical Activity, 23
Nicosia, F., Lombardi, M.: Cranial Electrical Stimulation Used during Anesthesia, 264
Nordström, L., *see* Fletcher, R.
Noseworthy, T., *see* McTaggart, R. A.
Noueihed, R., *see* Abboud, T. K.
Nunn, J. F., *see* Sharer, N. M.

O

Offord, K., *see* Muir, J. J.
Oh, T. H., *see* Abramowitz, M. D.
Okamoto, K., *see* Ishikawa, T.
Olaso, M. J., *see* Miralles, F. S.
Orkin, F. K., *see* Lieberman, R. W.
Oshita, S., Sari, A., Fujii, S., Yonei, A.: Prolonged Neuromuscular Blockade Following Succinylcholine in a Patient Homozygous for the Silent Gene, 71
Ostheimer, G. W., *see* Hodgkinson, R.
Otteni, J. C., Pottecher, T., Bronner, G., Flesch, H., Diebolt, J. R.: Prolongation of the Q-T Interval and Sudden Cardiac Arrest Following Right Radical Neck Dissection, 358

P

Pandele, G., Chaux, F., Salvadori, C., Farinotti, M., Duvaldestin, P.: Thiopental Pharmacokinetics in Patients with Cirrhosis, 123
Patel, K. P., *see* Capan, L. M.
Patel, R.: Systems for Transtracheal Ventilation, 165; *also see* Cassady, J. F.
Petkau, A. J., *see* Coté, C. J.
Peto, R., *see* Lowenstein, E.
Pham, A. N., *see* Azar, I.
Philbin, D. M., *see* Lowenstein, E.
Phillips, J., *see* Graybar, G.
Phythyon, J. M., *see* Berman, M. L.; *also see* Uetrecht, J.
Pinchak, A. C., Podlipsky, H. M., Hagen, J. F.: Mechanical Aspects of Epidural Catheter Insertion—Prevention of Catheter Buckling by Means of a Needle Hub Insert, 559
Podlipsky, H. M., *see* Pinchak, A. C.
Poppers, P. J., *see* Mark, L. C.
Pottecher, T., *see* Otteni, J. C.
Prakash, O., *see* Saxena, P. R.

Prewitt, R. M., *see* Ghignone, M.
Prokocimer, P., Delavault, E., Rey, F., Lefevre, P., Mazze, R. I., Desmonts, J. M.: Effects of Droperidol on Respiratory Drive in Humans, 113
Puig, M. M., *see* Miralles, F. S.

R

Rao, T. L. K., Jacobs, K. H., El-Etr, A. A.: Reinfarction Following Anesthesia in Patients with Myocardial Infarction, 499
Rasch, D. R., Holt, J., Wilson, M., Smith, R. B.: Bronchospasm Following Intraocular Injection of Acetylcholine in a Patient Taking Metoprolol, 593
Raya, J., *see* Abboud, T. K.
Reedy, J. C., Zwiren, G. T.: Enema-induced Hypocalcemia and Hyperphosphatemia Leading to Cardiac Arrest during Induction of Anesthesia in an Outpatient Surgery Center, 588
Reiz, S., Bålfors, E., Sørensen, M. B., Ariola, S., Jr., Friedman, A., Truedsson, H.: Isoflurane—A Powerful Coronary Vasodilator in Patients with Coronary Artery Disease, 91
Reves, J. G., *see* Vinik, H. R.
Rey, F., *see* Prokocimer, P.
Reynolds, A. C., *see* Gandhi, S. K.
Rice, S. A., *see* Fish, K. J.
Rizzoli, H. V., *see* Horowitz, N. H.
Robinson, S., *see* Lerman, J.
Rogers, S. N., Benumof, J. L.: New and Easy Techniques for Fiberoptic Endoscopy-aided Tracheal Intubation, 579
Roizen, M. F., *see* Joyce, J. T.
Ropper, A. L., Kennedy, S. K., Zervas, N. T. (eds.): Neurological and Neurosurgical Intensive Care, 171
Rorie, D. K., *see* Thompson, G. E.
Rosenberg, H., Heiman-Patterson, T.: Duchenne's Muscular Dystrophy and Malignant Hyperthermia: Another Warning, 362
Rosenblatt, R. M., *see* Wangler, M. A.
Rosenthal, M. H., *see* Shafer, A.
Rosow, C. E., *see* Moss, J.
Rothblatt, A. J., *see* Cohen, S. E.
Rouby, J. J., Fusciardi, J., Bourgain, J. L., Viars, P.: High-frequency Jet Ventilation in Postoperative Respiratory Failure: Determinants of Oxygenation, 281
Roy, R. C., Morgan, L., Beamer, D.: Factitiously Low Blood Pressure from the Dinamap™, 258
Royster, R. L.: Preoperative Management of Atrial Fibrillation, 602
Rudd, G. D., *see* Goudsouzian, N. G.
Rude, R. E., *see* Davis, R. F.
Ruttimann, U. E., *see* Abramowitz, M. D.
Ryan, J. F., *see* Coté, C. J.; *also see* Liu, L. M. P.

S

Safwat, A. M., Daniel, D.: Grand Mal Seizure after Fentanyl Administration, 78
Saidman, L. J., *see* Hudson, R. J.; *also see* Westover, J.
Sakabe, T., Maekawa, T., Fujii, S., Ishikawa, T., Tateishi, A., Takeshita, H.: Cerebral Circulation and Metabolism during Enflurane Anesthesia in Humans, 532
Salvadori, C., *see* Pandele, G.
Sandler, A., *see* Shulman, M. S.
Sari, A., *see* Oshita, S.
Sarkis, F., *see* Abboud, T. K.
Sawhney, K. K., Yoon, Y. K.: Erroneous Labeling of a Nitrous Oxide Cylinder, 260
Saxena, P. R., Dhasmana, K. M., Prakash, O.: A Comparison of Systemic and Regional Hemodynamic Effects of *d*-Tubocurarine, Pancuronium, and Vecuronium, 102
Scamman, F. L., Babin, R. W.: An Unusual Complication of Nasotracheal Intubation, 352
Schlickewei, A., *see* Buzello, W.
Schneider, R. C., *see* Lowenstein, E.
Schreiber, P. J.: Corrections Concerning Alleged Disconnect Alarm Failure, 611
Schüttler, J., *see* Shafer, A.
Schwartz, A. J., *see* Jobes, D. R.; *also see* Lieberman, R. W.
Scurr, C., Feldman, S. (eds.): Scientific Foundations of Anaesthesia, 268
Seagard, J. L., Elegbe, E. O., Hopp, F A., Bosnjak, Z. J., von Colditz, J. H., Kalbfleisch, J. H., Kampine, J. P.: Effects of Isoflurane on the Baroreceptor Reflex, 511
Severinghaus, J. W.: Vive Pascal but Kilo Newton?, 486
Shafer, A., White, P. F., Schüttler, J., Rosenthal, M. H.: Use of a Fentanyl Infusion in the Intensive Care Unit: Tolerance to Its Anesthetic Effects?, 245
Shapiro, H. M., *see* Drummond, J. C.
Sharer, N. M., Monk, S. J., Nunn, J. F.: No Effect of Hyperbaric Oxygen on Methionine Synthetase Activity in Rats, 440
Sharma, M., *see* Fisher, D. M.
Shaw, L. M., *see* Gross, J. B.
Shimidzu, Y., *see* Kawamoto, M.
Shulman, M. S., Brebner, J., Cain, J., Sandler, A.: Bronchopulmonary Lung Lavage, 607
Shupak, R. C., *see* Urquhart, G. R.
Shustack, A., *see* McTaggart, R. A.
Simpson, P. J., *see* Carrie, L. E. S.
Sindermann, C. J.: Winning the Games Scientists Play, 613
Skarvan, K.: Preoperative Nifedipin Treatment and Anesthesia in Patients with Coronary Heart Disease, 362
Sleeman, D., *see* Milne, B.
Slogoff, S., Keats, A. S., Arlund, C.: On the Safety of Radial Artery Cannulation, 42
Smith, B., *see* Fisher, J. T.
Smith, C. M., *see* Maze, M.
Smith, D., *see* Graybar, G.
Smith, L. R., *see* Kissin, I.; *also see* Vinik, H. R.
Smith, R. B., *see* Rasch, D. R.
Smith, R. P., Kruszyna, R., Kruszyna, H.: Reply to: Antagonism of Nitroprusside Effects by Cyanide May Not Be Clinically Relevant (Correspondence), 160
Smith, S. L., *see* Babinski, M. F.
Smith, W. D. A.: Under the Influence. A History of Nitrous Oxide and Oxygen Anesthesia, 269
Snir-Mor, I., Weinstock, M., Davidson, J. T., Bahar, M.: Physostigmine Antagonizes Morphine-induced Respiratory Depression in Human Subjects, 6
Sokoll, M., *see* Mehta, M. P.
Sørensen, M. B., *see* Reiz, S.
Souron, R., *see* Meignier, M.
Spalitta, J. T., Marino, R. J.: More on One-lung Lavage, 166
Spence, D., *see* Milne, B.
Spierdijk, J., *see* Burm, A. G.
Stanski, D. R., Watkins, W. D.: Drug Disposition in Anesthesia, 170; *also see* Hudson, R. J.; Hug, C. C., Jr.
Stehling, L. C.: Common Problems in Pediatric Anesthesia, 171
Steinsland, O. S., *see* Nelson, S. H.
Stephenson, L. W., *see* Jobes, D. R.
Stevens, J. J.: A Case of Thyrotoxic Crisis That Mimicked Malignant Hyperthermia, 263
Steward, D. J., *see* Gregory, G. A.
Stiff, J. L., Harris, D. B.: Clonidine Withdrawal Complicated by Amitriptyline Therapy, 73
Sumikawa, K., Matsumoto, T., Amenomori, Y., Hirano, H., Amakata, Y.: Selective Actions of Intravenous Anesthetics on Nicotinic- and Muscarinic-Receptor-Mediated Responses of the Dog Adrenal Medulla, 412
Sumner, A. E., *see* Hägerdal, M.
Sweet, P. T., *see* Meakin, G.
Swen, J., *see* Gencarelli, P. J.
Sykes, W. S., Ellis, R. H. (eds.): Essays on the First Hundred Years of Anaesthesia, Vol. III, 172
Szyfelbein, S. K., *see* Martyn, J. A. J.

T

Taff, R. H.: Pulmonary Edema Following Naloxone Administration in a Patient Without Heart Disease, 586
Takeshita, H., *see* Ishikawa, T.; *also see* Sakabe, T.
Tanner, G. E.: Concepts of Thiopental Distribution and Metabolism, Old and New, 484
Tarhan, S.: Cardiovascular Anesthesia and Postop Care, 370
Tateishi, A., *see* Sakabe, T.
Taylor, B., *see* Mayhew, J.
Teeple, E., Ghia, J. N.: An Elevated Pulmonary Wedge Pressure Resulting from an Upper Respiratory Obstruction in an Obese Patient, 66
Teplick, R. S., *see* Lowenstein, E.

Thompson, G. E., Rorie, D. K.: Functional Anatomy of the Brachial Plexus Sheaths, 117
Thompson, J., Conklin, K. A.: Anesthetic Management of a Pregnant Patient with Scleroderma, 69
Tien, Y. K., *see* Bergman, N. A.
Tinker, J. H., *see* Muir, J. J.
Todd, M. M.: Atrial Fibrillation Induced by the Right Atrial Injection of Cold Fluids during Thermodilution Cardiac Output Determination: A Case Report, 253; *also see* Drummond, J. C.
Todres, I. D., *see* Liu, L. M. P.
Toutant, S. M., *see* Drummond, J. C.
Trevor, A. J., *see* White, P. F.
Truedsson, H., *see* Reiz, S.
Turndorf, H., *see* Capan, L. M.

U

Ueda, I., *see* Matubayasi, N.
Uetrecht, J., Wood, A. J. J., Phythyon, J. M., Wood, M.: Contrasting Effects on Halothane Hepatotoxicity in the Phenobarbital-Hypoxia and Triiodothyronine Model: Mechanistic Implications, 196
Urquhart, G. R., Shupak, R. C.: Pseudoarrialization of the CVP by an Infusion Pump, 79

V

van Heerden, J. A., *see* Muir, J. J.
van Kleef, J. W., *see* Burm, A. G.
VanDam, L. D.: Society of Neurosurgical Anesthesia and Neurologic Supportive Care, 270; *also see* Volpitto, P. P.
Varakian, L., *see* Abboud, T. K.
Verrier, E. D., *see* Hickey, R. F.
Vesey, C. J., *see* Cole, P. V.
Viars, P., *see* Rouby, J. J.
Vinik, H. R., Reves, J. G., Greenblatt, D. J., Abernethy, D. R., Smith, L. R.: The Pharmacokinetics of Midazolam in Chronic Renal Failure Patients, 390
Vivaldi, E., *see* Garfield, J. M.
Vlahakes, G. J., *see* Hickey, R. F.
Volpitto, P. P., VanDam, L. D.(eds.): The Genesis of Contemporary American Anesthesiology, 370
von Colditz, J. H., *see* Seagard, J. L.

W

Wagner, D. L., *see* Flewellen, E. H.
Walker, M. J. A., *see* Jang, T. L.
Wangler, M. A., Gupta, B.: Preferred Treatment of Fentanyl-Induced Postoperative Rigidity, 604
Wangler, M. A., Rosenblatt, R. M.: Methadone Titration to Avoid Excessive Respiratory Depression, 363
Watkins, W. D., *see* Stanski, D. R.
Webb, T. D.: Intravenous Infusions: Making Life Easy, 483
Wedel, D. J., Mulroy, M. F.: Hemiparesis Following Dural Puncture, 475
Weeks, S. K., *see* Fisher, J. T.
Weinstock, M., *see* Snir-Mor, I.
Welch, J. P., *see* Coté, C. J.
Werner, O., *see* Fletcher, R.
Westenskow, D. R., *see* Hayes, J. K.
Westover, J., Saidman, L. J.: Temperature-Related T-Wave Changes during Thoracotomy, 474
Wetstein, L., *see* Domino, K. B.
Wheeler, D. M., *see* McDanal, J. T.
White, P. F.: Spontaneous Rupture of the Tympanic Membrane Occurring in the Absence of Middle Ear Disease, 368; *also see* Shafer, A.
White, P. F.: Use of Continuous Infusion *versus* Intermittent Bolus Administration of Fentanyl or Ketamine during Outpatient Anesthesia, 294
White, P. F., Dworsky, W. A., Horai, Y., Trevor, A. J.: Comparison of Continuous Infusion Fentanyl or Ketamine *versus* Thiopental–Determining the Mean Effective Serum Concentrations for Outpatient Surgery, 574
Wiegert, P. E.: Another Cause of Obstruction in an Armored Endotracheal Tube (Correspondence), 164
Willis, M. M., *see* Lerman, J.
Willis, R. J., *see* Gourlay, G. K.
Wilson, M., *see* Rasch, D. R.
Wilson, P. R., *see* Gourlay, G. K.
Wolf, G. L., Capuano, C., Hartung, J.: Nitrous Oxide Increases Intraocular Pressure after Intravitreal Sulfur Hexafluoride Injection, 557
Wood, A. J. J., *see* Uetrecht, J.
Wood, M., *see* Uetrecht, J.

Y

Yaksh, T. L.: Effects of Spinally Administered Agents on Spinal Cord Blood Flow: A Need for Further Studies, 173
Yamashita, M., Matsuki, A.: Use of a Garbage Bag for Patient Transfer, 168
Yelderman, M., New, W., Jr.: Evaluation of Pulse Oximetry, 349
Yelderman, M.: Transconjunctival Oxygen Measurements in Critical Care Medicine, 266
Yonei, A., *see* Oshita, S.
Yoon, Y. K., *see* Sawhney, K. K.
Youngberg, J., *see* Graybar, G.
Yusuf, S., *see* Lowenstein, E.

Z

Zaidan, J. R., *see* McDonald, D. H.
Zervas, N. T. (eds.), *see* Ropper, A. L. (eds.)
Zwiren, G. T., *see* Reedy, J. C.